

The Science of a Healthier Life®

May/June 2023

FEATURE ARTICLES

- 32 Nutrients for Preventing Frailty
- 38 Easy Way to Obtain Fish Oil
- 48 Combat Peripheral Nerve Injury
- 66 Nitric Oxide Enhances Circulation
- 80 Suppress More Inflammation
- 90 Manage High Cortisol Levels





This product is available at fine health food stores everywhere.

RESTORE YOUTHFUL CELLULAR ENERGY





When L-arginine is ingested, about 40% is degraded in the digestive tract by the *arginase* enzyme.

After absorption, **arginine** encounters further degradation, leaving little for conversion into **nitric oxide**.

A patented compound resists enzymatic decline to provide more bioavailable arginine.*

NitroVasc[™] provides a combination of inositolstabilized L-arginine silicate and aronia berry extract.

This product is available at fine health food stores everywhere.

Item #02320

30 stick packs • Net Wt. 94.2 g (3.32 oz.)



NØN GMO ECERTIFIED

Two-Per-Day Offers You More Benefits Than Centrum®





25 times the VITAMIN B6

12 times the VITAMIN B12

8 times the VITAMIN C



Choose the **better** multivitamin

Two-Per-Day Multivitamin Capsules

Two-Per-Day Multivitamin Tablets

Item #02314 • 120 capsules (two-month supply)

Item #02315 • 120 tablets (two-month supply)

Each bottle provides a two-month supply.

These products are available at fine health food stores everywhere.

GLUTEN

Formula compared to Centrum® Silver® Adults 50+.



Patented **turmeric** and **fenugreek blend** (500 mg) results in **45 times** greater bioavailability of free **curcuminoids**.*

Up To 45.5 Times Greater Biograpilability

60 VEGETARIAN DIETARY SUPPLEMENT

Item #02407

60 vegetarian capsules

Same 500 mg potency of patented **turmeric** and **fenugreek blend** with added benefits of **ginger** and other **turmeric** actives.

High Biografiability Combination*

30 SOFTGELS | DIETARY SUPPLEMENT

Item #02324

30 softgels



everywhere.



*Than unformulated curcumin



The Science of a Healthier Life®

May/June 2023





BURN MORE BODY FAT

A compound in **red chili** peppers called capsaicin increases calorie burning. A clinical trial showed reduced body mass after just 28 days.



10 IN THE NEWS

Higher magnesium intake after heart attack may reduce mortality risk; fish oil supplements reduce COPD risk; quercetin decreases allergy symptoms; and more.

24 URINARY SYMPTOMS IN WOMEN

A blend of **plant extracts** has been shown to *reduce* urinary episodes by 65% in women, with 79% reporting relief.

38 LIFE-EXPECTANCY IMPACT OF FISH OIL

Higher omega-3 levels correlate with greater human longevity. Flavored, chewable, fish oil gummies make it easy to obtain.

48 IMPROVE NERVE FUNCTION

Clinical studies show that lipoic acid can treat peripheral neuropathy, improving nerve function and reducing pain and numbness.

56 CELL REGENERATION

Lactoferrin, known for its immune-boosting properties, also aids regenerative processes such as bone growth and wound healing, and healthy DNA.

66 NITRIC OXIDE IMPROVES BLOOD FLOW

Nitric oxide helps dilate blood vessels for improved cardiovascular health. A form of L-arginine has been shown to sustainably boost endothelial nitric oxide production.

74 WHAT IS D-RIBOSE?

D-ribose helps restore the body's energy production, improving heart function and exercise performance.

80 RESOLVE PERSISTENT PAIN

A new human study shows that marine oil-derived SPM precursors combined with bioavailable curcumin resolve and reduce inflammatory discomforts.

90 REDUCE ANXIETY TO IMPROVE HEALTH

Chronic stress can raise cortisol levels, leading to health issues. Researchers have identified specific plant extracts clinically shown to reduce elevated cortisol and feelings of anxiety.

DEPARTMENTS

32 SOLUTIONS: NUTRIENTS FOR PREVENTING FRAILTY

Two nutrients have been shown to combat sarcopenia and help prevent frailty by rebuilding lost muscle mass in aging adults.





The Science of a Healthier Life®

May/June 2023

Be Young at Heart with Optimized Resveratrol Elite™

Our Best in Class longevity formula combines trans-resveratrol with a hydrogel coating of galactomannan fibers from

fenugreek seeds to make it 10x more bioavailable*plus the plant polyphenol quercetin for additional heart and immune support.

Item #02230 60 vegetarian capsules

*Than unformulated resveratrol.

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.



Editorial

Editor-in-Chief • Philip Smith

Executive Managing Editor • Renee Vermeulen Medical Editor • Mahwish Aurangzeb, MD, MPH

Senior Editor • Dan Jewel

Senior Staff Writer • Michael Downey

Department Editor • Laurie Mathena

Associate Editor • Rivka Rosenberger, EdD

Creative Director • Robert Vergara

Art Director • Alexandra Maldonado

Chief Medical Officer

Chief Scientific Officer

Steven Joyal, MD

Andrew Swick, MS, PhD

Scientific Advisory Board

Richard Black, DO • John Boik, PhD • Aubrey de Grey, PhD

Deborah F. Harding, MD • Steven B. Harris, MD • Sandra C. Kaufmann, MD

Peter H. Langsjoen, MD, FACC • Dipnarine Maharaj, MD

L. Ray Matthews, MD, FACS . Ralph W. Moss, PhD

Michael D. Ozner, MD, FACC • Jonathan V. Wright, MD • Xiaoxi Wei, PhD

LIFE EXTENSION

Optimized

Resveratrol

60 VEGETARIAN DIETARY SUPPLEMENT

Elite™

Gregory E. Bigford, PhD, MSBA • Michael Downey • Chancellor Faloon Laurie Mathena • Steve Page, OT/L, PhD, MS, MOT • Jack Ross

Chief Marketing Officer • Rey Searles • rsearles@lifeextension.com National Advertising Manager • JT Hroncich • 404-347-4170

Vice President of Sales and Business Development

Carolyn Bouchard • cbouchard@lifeextension.com • 954-202-7685

Circulation & Distribution

Life Extension • 3600 West Commercial Blvd., Ft. Lauderdale, FL 33309 Editorial offices: 954-766-8433 • fax: 954-491-5306

Customer Service: 800-678-8989 • Email: customerservice@LifeExtension.com Wellness specialists: 800-226-2370 • Email: wellness@LifeExtension.com

Life Extension Magazine® values your opinion and welcomes feedback. Please mail your comments to Life Extension Magazine®,

Attn: Letters to the Editor, PO Box 407198, Fort Lauderdale, FL 33340 or email us: LEmagazine@LifeExtension.com

LIFE EXTENSION (ISSN 1524-198X) May/June 2023 ©2023 is published monthly except bi-monthly in April by LE Publications, Inc. at 3600 West Commercial Blvd., Fort Lauderdale, FL 33309-3338. LE Publications, Inc. All rights reserved. Published 13 times a year. Subscription rate: \$40 per year in the United States. US \$47 in Canada. US \$60 in other countries. Mail subscriptions or address changes to: LE Publications, Inc., P.O. Box 407198, Fort Lauderdale, FL 33340-7198, USA. Or phone us toll-free at: 1-800-841-5433. Canada Subscriptions: Publications mail agreement number 40028967. Return undeliverable Canadian addresses to PO Box 503, RPO West Beaver Creek, Richmond Hill, ON L4B4R6. You will be sent your first issue within six weeks after LE Publications, Inc. receives your subscription fee. Periodicals Postage paid at Fort Lauderdale, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes to Life Extension, P.O. Box 407198, FL and at additional mailing offices. POSTMASTER: Send address changes with size with the part of the Extension of the Address changes and post of the product of a physician or other infection and product of the product except to state that they are advertisers who may have paid Life Extension for placement of an advertisement in this publication. Life Extension disclaims any and all responsibilities or warranties as to the accuracy of information contained in advertisements for non-Life Extension branded products or services. For Canadian customers send change of address information and blocks of undeliverable copies to P.O. Box 1051, Fort Erie, ON L2A 6C7.

H₂O Scams Exposed!

FREE Report

Get the lowdown on bogus water scams... oxygenated, structured, energized, alkalized and microclustered.

Truth revealed about distilled, mineral, spring, filtered, bottled, reverse osmosis, well and ordinary "purified" water. Discover the amazing Waterwise system that guarantees you consistent water purity.


Learn about the wise alternative to buying bottled and save 70% or more.

Drink the purest... you should consume about 2,920 glasses (182 gallons) every year—be water-wise!

Purity Since 1977 Purification Systems



Call: 800-874-9028 Ext 750 Visit: waterscamsreport.net



Waterwise water purifiers are recommended by:
Dr. Russell Blaylock, Dr. Patricia Bragg,
Dr. Ted Broer, Dr. Michael Colgan, Dr. David
Klein, Dr. Monte Kline, Dr. Bill Misner, Dr. Keith
Nemec, Dr. Scott Senne, Dr. Varah Siedlecki,
Dr. David Williams, and many more...

Mail to: Waterwise Inc • PO Box 494000 Leesburg FL 34749

YES! Please rush my FREE Waterwisdom Report ℰ Catalog No Cost/No Obligation	LEXT
Name	_ !
Address	_ 1
City State Zip	_ ,

Gustavo Tovar Baez, MD, operates the Life Extension Clinic in Caracas, Venezuela. He is the first physician in Caracas to specialize in anti-aging medicine.

Ricardo Bernales, MD, is a board-certified pediatrician and general practitioner in Chicago, IL, focusing on allergies, bronchial asthma, and immunodeficiency.

Mark S. Bezzek, MD, FACP, FAARM, FAAEM, is board-certified in internal medicine, emergency medicine, and anti-aging/regenerative medicine. He is the director of Med-Link Consulting, which specializes in bioidentical hormone replacement therapy, natural alternatives, anti-aging, and degenerative diseases. He holds U.S. patents for a multivitamin/mineral supplement, an Alzheimer's/dementia compilation, and a diabetic regimen.

Thomas F. Crais, MD, FACS, a board-certified plastic surgeon, was medical director of the microsurgical research and training lab at Southern Baptist Hospital in New Orleans, LA, and currently practices in Sun Valley, ID.

William Davis, MD, is a preventive cardiologist and author of Wheat Belly: Lose the Wheat, Lose the Weight and Find Your Path Back to Health. He is also medical director of the online heart disease prevention and reversal program. Track Your Plague (www.trackyourplague.com).

Martin Dayton, MD, D0, practices at the Sunny Isles Medical Center in North Miami Beach, FL. His focus is on nutrition, aging, chelation therapy, holistic medicine, and oxidative medicine.

John DeLuca, MD, DC, is a 2005 graduate of St. George's University School of Medicine. He completed his internal medicine residency at Monmouth Medical Center in Long Branch, NJ, in 2008 and is board-certified by the American Board of Internal Medicine. Dr. DeLuca is a Diplomate of the American Academy of Anti-Aging Medicine and has obtained certifications in hyperbaric medicine, pain management, nutrition, strength and conditioning, and manipulation under anesthesia.

Sergey A. Dzugan, MD, PhD, was formerly chief of cardiovascular surgery at the Donetsk Regional Medical Center in Donetsk, Ukraine. Dr. Dzugan's current primary interests are antiaging and biological therapy for cancer, cholesterol, and hormonal disorders.

Patrick M. Fratellone, MD, RH, is the founder and executive medical director of Fratellone Associates. He completed his internal medicine and cardiology fellowship at Lenox Hill Hospital in 1994, before becoming the medical director for the Atkins Center for Complementary Medicine.

Norman R. Gay, MD, is proprietor of the Bahamas Anti-Aging Medical Institute in Nassau, Bahamas. A former member of the Bahamian Parliament, he served as Minister of Health and Minister of Youth and Sports.

Mitchell J. Ghen, DO, PhD, holds a doctorate in holistic health and anti-aging and serves on the faculty of medicine at the Benemerita Universidad Autonoma De Puebla, Mexico, as a professor of cellular hematopoietic studies.

Gary Goldfaden, MD, is a clinical dermatologist and a lifetime member of the American Academy of Dermatology. He is the founder of Academy Dermatology of Hollywood, FL, and COSMESIS Skin Care.

Miguelangelo Gonzalez, MD, is a certified plastic and reconstructive surgeon at the Miguelangelo Plastic Surgery Clinic, Cabo San Lucas.

Garry F. Gordon, MD, DO, is a Payson, Arizonabased researcher of alternative approaches to medical problems that are unresponsive to traditional therapies. He is president of the International College of Advanced Longevity Medicine.

Richard Heifetz, MD, is a board-certified anesthesiologist in Santa Rosa, CA, specializing in the delivery of anesthesia for office-based, plastic/ cosmetic surgery, chelation therapy, and pain

Roberto Marasi, MD, is a psychiatrist in Brescia and in Piacenza, Italy. He is involved in anti-aging strategies and weight management.

Maurice D. Marholin, DC, DO, is a licensed chiropractic physician and board-certified osteopathic family physician. While training at the University of Alabama, he completed fellowships in Clinical Nutrition and Behavioral Medicine. He is currently in private practice in Clermont, FL.

Professor Francesco Marotta, MD, PhD, of Montenapoleone Medical Center, Milan, Italy, is a gastroenterologist and nutrigenomics expert with extensive international university experience. He is also a consulting professor at the WHO-affiliated Center for Biotech & Traditional Medicine, University of Milano, Italy and honorary resident professor, Nutrition, Texas Women's University. He is the author of more than 130 papers and 400 lectures.

Philip Lee Miller, MD, is founder and medical director of the Los Gatos Longevity Institute in Los Gatos, CA.

Michele G. Morrow, DO, FAAFP, is a board-certified family physician who merges mainstream and alternative medicine using functional medicine concepts, nutrition, and natural approaches.

Filippo Ongaro, MD, is board-certified in antiaging medicine and has worked for many years as flight surgeon at the European Space Agency. He is a pioneer in functional and antiaging medicine in Italy where he also works as a journalist and a writer.

Lambert Titus K. Parker, MD, an internist and a board- certified anti-aging physician, practices integrative medicine from a human ecology perspective with emphasis on personalized brain health, biomarkers, genomics and total health optimization. He serves as the Medical Director of Integrative Longevity Institute of Virginia, a 501(c)3 Non-Profit Medical Research Institute. He also collaborates on education and research for Hampton Roads Hyperbaric Therapy.

Ross Pelton, RPh, PhD, CCN, is scientific director for Essential Formulas, Inc.

Patrick Quillin, PhD, RD, CNS, is a clinical nutritionist in Carlsbad, CA, and formerly served as vice president of nutrition for Cancer Treatment Centers of America, where he was a consultant to the National Institutes of Health

Allan Rashford, MD, graduated from the University of Iowa Medical School. Upon completing medical training, he became chief of medicine at St. Francis Hospital in South Carolina, and he was later named president of the Charleston Medical Society.

Marc R. Rose, MD, practices ophthalmology in Los Angeles, CA, and is president of the Rose Eye Medical Group. He is on the staff of Pacific Alliance Medical Center, Los Angeles, and other area hospitals.

Michael R. Rose, MD, a board-certified ophthalmologist with the Rose Eye Medical Group in Los Angeles, CA, is on the staff of the University of Southern California and UCLA.

Ron Rothenberg, MD, is a full clinical professor at the University of California San Diego School of Medicine and founder of California HealthSpan Institute in San Diego.

Roman Rozencwaig, MD, is a pioneer in research on melatonin and aging. He practices in Montreal, Canada, as research associate at Montreal General Hospital, Department of Medicine, McGill University.

Michael D. Seidman, MD, FACS, is the director of skull base surgery and wellness for the Adventist Health System in Celebration, FL.

Ronald L. Shuler, BS, DDS, CCN, LN, is involved in immunoncology for the prevention and treatment of cancer, human growth hormone secretagogues, and osteoporosis. He is boardcertified in anti-aging medicine.



Sandra C. Kaufmann, MD, is a fellowship-trained and board-certified pediatric anesthesiologist as well as the Chief of Anesthesia at the Joe DiMaggio Children's Hospital in Hollywood, Florida. She is the founder of The Kaufmann Anti-Aging Institute and the author of the book The Kaufmann Protocol: Why we Age and How to Stop it (2018). Her expertise is in the practical application of anti-aging research.



Richard Black, DO, is a dedicated nuclear medicine physician practicing as an independent contractor out of Cleveland, Ohio. Dr. Black is board-certified in internal medicine and nuclear medicine, and is licensed to practice medicine in multiple states throughout the United States.



John Boik, PhD, is the author of two books on cancer therapy, Cancer and Natural Medicine (1996) and Natural Compounds in Cancer Therapy (2001). He earned his doctorate at the University of Texas Graduate School of Biomedical Sciences with research at the MD Anderson Cancer Center, focusing on screening models to identify promising new anti-cancer drugs. He conducted his postdoctoral training at Stanford University's Department of Statistics.



Aubrey de Grey, PhD, is a biomedical gerontologist and Editor-in-Chief of Rejuvenation Research, the world's highest-impact, peer-reviewed journal focused on intervention in aging. He received his BA and PhD from the University of Cambridge in 1985 and 2000 respectively. Dr. de Grey is a Fellow of both the Gerontological Society of America and the American Aging Association and sits on the editorial and scientific advisory boards of numerous journals and organizations.




Deborah F. Harding, MD, is founder of the Harding Anti-Aging Center. She is double board-certified in internal medicine and sleep disorder medicine. She also earned the Cenegenics certification in age management medicine. She is a faculty member of the University of Central Florida Medical School.



Steven B. Harris, MD, has participated in groundbreaking hypothermia, cryothermia, and ischemia research. His research interests include antioxidant and dietary-restriction effects in animals and humans.





Peter H. Langsjoen, MD, FACC, is a cardiologist specializing in congestive heart failure, primary and statin-induced diastolic dysfunction, and other heart diseases. A leading authority on coenzyme Q10, Dr. Langsjoen has been involved with its clinical application since 1983. He is a founding member of the executive committee of the International Coenzyme Q10 Association, a fellow of the American College of Cardiology, and a member of numerous other medical associations.







on vitamin D.





















In the News

Magnesium Intake Linked to Longer Life After Heart Attack

People with a history of heart attack who reported a high intake of magnesium had a lower risk of death from cardiovascular disease or any cause during a median follow-up of 12.4 years, according to a study published in Frontiers in Cardiovascular Medicine.*


The study included 4,365 men and women, 60-80 years old, in the Alpha Omega Cohort, an ongoing follow-up of participants in the 40-month Alpha Omega Trial.

A high magnesium intake, defined as greater than 320 mg per day, was associated with a 28% lower risk of dying from cardiovascular disease and a 22% lower risk of death from any cause compared to a low intake, defined as less than 283 mg.

The protective effect of magnesium was even stronger in patients who were being treated with diuretic drugs. In this group, the risk of mortality from cardiovascular disease was 45% lower among those with high magnesium compared to those with low magnesium.

Editor's Note: An adequate intake of magnesium may be important for lowering long-term mortality risk after myocardial infarction, especially in patients treated with diuretics.

* Front Cardiovasc Med. 2022 Aug 12;9:936772.





Fish Oil Supplementation Associated with Reduced Risk of COPD

Taking fish oil supplements on a regular basis is associated with a reduced risk of chronic obstructive pulmonary disease, according to a study published in Clinical Nutrition.*

COPD, a chronic airway obstruction that leads to irreversible decline in lung function, is accelerated by inflammation. Researchers collected data from 484,414 participants in the UK Biobank, aged 40 -69 years.

The individuals answered questionnaires on fish oil supplements used between 2006 and 2010 and were then followed up for an average of nine years.

Results showed that habitual fish oil supplementation was associated with a 12% reduced risk of COPD, regardless of a person's genetic predisposition for the condition.

Editor's Note: Several studies have suggested that omega-3 fatty acids may have anti-inflammatory properties. Future studies should further evaluate the mechanisms underlying this relationship to aid efforts to prevent incident COPD.

*Clinical Nutrition, December 2022. https://doi.org/10.1016/j.clnu.2022.10.002

Quercetin Phytosome® **Reduces Allergy Symptoms**

A clinical trial revealed a decrease in seasonal allergy symptoms among men and women who received quercetin, the European Review of Medical Pharmacology reported.*

trial included 66 participants 22-78 years old, with allergic eye and nasal symptoms related to pollen or dust exposure. Half of the participants received 200 mg of quercetin and the others received a placebo daily for four weeks. Quality-of-life questionnaires and other tests evaluating eye and nasal symptoms were administered before and after the treatment period to grade and compare severity of the symptoms.

Among participants who received quercetin, allergy symptoms at the conclusion of the trial, including eye itching, sneezing, nasal discharge, and sleep disorder, were significantly improved compared to the placebo group.

Editor's Note: Quercetin is a flavonoid found in fruits, tea, onions, and herbs. The guercetin phytosome® used in the study is a foodgrade bioavailable quercetin formulation.

* Eur Rev Med Pharmacol Sci. 2022 Jun;26(12):4331-4345.



Chlorophyllin May Help **Improve Inflammatory Bowel Disease**, **Animal Study Shows**

In an animal study published in the American Journal of Physiology Gastrointestinal and Liver Physiology, chlorophyllin was shown to improve inflammatory bowel disease, a disease class that encompasses Crohn's disease and ulcerative colitis.*


Chlorophyllin is a derivative of chlorophyll, the green pigment in plants. Researchers induced chronic colitis in a group of mice and supplemented some of the animals' diets with chlorophyllin in an amount reflective of consuming 200 grams to 400 grams per day of spinach in humans.

Supplementation with chlorophyllin prevented weight loss and colon shortening, improved stool consistency, decreased blood in the stool, and decreased premature mortality. Treated animals had less intestinal mucosal damage and inflammation.

Editor's Note: These results demonstrate that oral administration of chlorophyllin can significantly impede the biogenesis of experimental colitis.

* Am J Physiol Gastrointest Liver Physiol. 2022 Aug 1;323(2):G102-G113.





RESTORE YOUTHFUL GUT BALANCE

With Strawberry Flavored FLORASSIST® Prebiotic Chewable

Item #02203

60 vegetarian chewable tablets







- With age, our bifidobacteria levels decline to as little as 5%.¹
- Increasing bifidobacteria levels enhances digestion and carbohydrate metabolism.
- Strawberry flavored FLORASSIST® Prebiotic Chewable helps restore healthy bifidobacteria levels in as little as 14 days using an XOS prebiotic.²
- 1,000 mg of XOS (xylooligosaccharides) per prebiotic chewable.

References

- 1. Front Microbiol. 2016;7:1204.
- 2. Korean J Nutr. 2007;40(2):154-61.

This product is available at fine health food stores everywhere.





Selenium promotes the body's production of **glutathione**, a potent cellular antioxidant. It also encourages healthy cell division, thyroid health, and immune function.


Super Selenium Complex combines <u>three</u> complementary forms of selenium with vitamin E for additional antioxidant protection.

Item #01778

200 mcg • 100 vegetarian capsules

Each bottle provides a supply that lasts more than three months.

This product is available at fine health food stores everywhere.





Sometimes, no matter how much we **diet**, we don't lose significant **weight**.

Many people ask, "Why am I not losing more fat pounds when I am eating less and watching my calories?"

One reason is that the body adapts to <u>lower</u> calorie intake by burning less energy when we're at rest.^{1,2}

Scientists have long searched for a solution to <u>increase</u> **resting energy expenditure**.

A compound derived from **red chili peppers**, called **capsaicin**, does exactly that.^{2,3}

The challenge was finding a way for people to take capsaicin at a dose that will yield the desired effect without experiencing stomach irritation.⁴

The solution is an **encapsulation** process that protects the stomach while delivering capsaicin's **thermogenic** properties to the body.

In a **clinical trial**, encapsulated **capsaicin** was shown to promote **weight loss** in just four weeks.⁴

Compared to the **placebo** group, people taking **capsaicin** had greater reductions in **body weight**.⁴



Why Diets Stop Working

One principle of weight gain is simple—energy intake exceeds energy expenditure.¹

Reducing calorie intake and increasing exercise is usually viewed as the best way to overcome this imbalance.^{1,3}

However, a phenomenon known as **adaptive ther-mogenesis** can limit the success of a calorie-lowering, weight loss program.²

Thermogenesis is a body process that converts calories into heat energy. This allows the body to maintain a stable temperature, support healthy metabolism—and control **body weight**.⁵

Adaptive thermogenesis occurs when the body reacts to <u>reduced</u> calorie intake by **lowering** the amount of energy (fat) it burns, particularly when the body is at rest.^{1,2}

This makes it harder to lose weight and creates a vicious cycle in which the *more* calories are reduced, the *less* effect it has on weight loss. It's one reason that dedicated dieters often regain weight.^{1,2}

This is where **thermogenesis** comes in.

Augment A Weight Loss Plan

Nutrients that support thermogenesis can help augment an existing weight management program by *increasing* the resting energy expenditure, *burning* more fat and calories.⁶

One of the most potent, plant-based thermogenic compounds is **capsaicin**. It is the major "thermogenic" compound in **red chili peppers**.^{3,4}

Capsaicin increases **resting energy expenditure**, so that more calories are burned even when the body is at rest.

It has long been of interest as a means to *boost* the effects of a **weight loss** program.

Activating Beneficial Brown Fat

Scientists believe capsaicin's thermogenic properties relate to its ability to activate **brown fat**. 3,6-9

Normal fat is **white fat**, which can be **pro-inflam-matory** when accumulated in excess, particularly when it collects in the **abdomen**.

Brown fat, on the other hand, burns energy, often when triggered by cold temperatures. While white fat cells **store** excess energy, brown fat cells **dissipate** energy as heat.^{8,10}

Brown fat tissue is associated with greater calorie burning and protection against obesity and metabolic diseases.¹⁰

Preclinical studies also show that the presence of **brown fat** is associated with thermogenesis, lower body mass index (BMI), and improved fasting glucose levels.^{3,6-8}

By activating brown fat, **capsaicin** supports weight loss.

Capsaicin's Fat-Reducing Mechanism

Research published in **2021** by **Harvard Medical School** suggests that capsaicin can mimic the effect of cold temperatures in order to <u>activate</u> energy-burning **brown fat** cells.¹⁰

It appears to do so by activating a protein known as **TRPV1** (transient receptor potential vanilloid type-1), which regulates body metabolism and temperature.^{3,6,7}

By activating TRPV1, **capsaicin** triggers the body to activate **brown fat cells**, which in turn burn calories through **thermogenesis**.^{3,6,7}







Protection Against Stomach Irritation

There has long been a problem with taking capsaicin. It is the compound responsible for **red chili peppers**' heat.

Capsaicin can irritate the lining of the digestive tract, causing nausea, diarrhea, and acid reflux.^{4,11}

Scientists have devised a solution.

Encapsulating the capsaicin in a patented fiber **hydrogel** *inhibit*s the compound's irritating effects and gastrointestinal discomforts.¹¹

This allows capsaicin to be safely ingested and better absorbed.

Clinical Validation

To test this **capsaicin** formula, researchers enlisted 21 overweight volunteers aged 38 years, on average, for a **placebo-controlled** clinical trial.⁴

Subjects were already moderately active, getting one to five hours of moderate exercise weekly. During the study, they maintained their regular food intake and activities. They also completed two questionnaires about appetite and eating behavior.

One group took **200 mg** of **encapsulated capsaicin** every morning, half an hour after breakfast, while the other received a **placebo**.

Boost Your Weight Loss Plan

- Capsaicin, a compound derived from red chili pepper, has been shown to increase the body's energy expenditure by promoting the burning of calories, even at rest.
- The stomach discomfort associated with oral ingestion of *unformulated* capsaicin has long discouraged its use.⁵ Scientists have developed a formula that provides a safe and tolerable way to obtain its weight loss benefits.
- A human study shows that this new form of capsaicin reduced body weight, waist-to-hip ratio, body mass index, and appetite.
- This patented capsaicin formulation can help boost any existing weight loss program.

After only 28 days, the capsaicin group had:4

- An average 2.1% reduction in body weight (compared to 0.32% for the placebo group),
- A mean 4% decrease in waist-to-hip ratio (vs. 1% for the placebo group), and
- A reduction of 2.2% in body mass index (vs. 0.3% for the placebo group).

This **2.1**% body weight reduction represents a loss of about **one pound** of weight *per week*.

The questionnaires revealed that treated subjects reported a significant *reduction* in **uncontrolled eating** and **appetite**.

The encapsulated **capsaicin** was found to be safe, with high tolerability, and was determined to be **well-absorbed** into the blood.

Other Benefits

Capsaicin is associated with effects beyond thermogenesis. Increasing evidence suggests that it may play a role in:^{3,7,11-13}

- · Regulation of metabolic health,
- Glucose metabolism,
- Cardiovascular health,
- Anti-obesity effects, and
- Reduced mortality risk.

Summary

Studies show that **capsaicin**, derived from red chili peppers, increases resting energy expenditure and boosts the burning of calories.

Researchers have created a unique form of capsaicin by encapsulating it in a plant fiber hydrogel. The result is more thermogenic benefits without the stomach distress of regular capsaicin.⁴

Clinical data show that it can safely promote **weight loss**, lower waist-to-hip ratio and body mass index, and reduce appetite.

This **capsaicin** formulation offers a new way for people to **augment** a **weight loss** program. •

References

- Leibel RL, Rosenbaum M, Hirsch J. Changes in energy expenditure resulting from altered body weight. N Engl J Med. 1995 Mar 9:332(10):621-8.
- Ebbeling CB, Swain JF, Feldman HA, et al. Effects of dietary composition on energy expenditure during weight-loss maintenance. JAMA. 2012 Jun 27;307(24):2627-34.
- Zheng J, Zheng S, Feng Q, et al. Dietary capsaicin and its antiobesity potency: from mechanism to clinical implications. *Biosci Rep.* 2017 Jun 30;37(3).
- Joseph MA, John Ph DF, Thomas MJV, et al. Influence of a Novel Food-Grade Formulation of Red Chili Extract (Capsicum annum) on Overweight Subjects: Randomized, Double-Blinded, Placebo-Controlled Study. J Diet Suppl. 2021;18(4):387-405.
- Stohs SJ, Badmaev V. A Review of Natural Stimulant and Non-stimulant Thermogenic Agents. *Phytother Res.* 2016 May;30(5):732-40.
- Whiting S, Derbyshire E, Tiwari BK. Capsaicinoids and capsinoids. A potential role for weight management? A systematic review of the evidence. *Appetite*. 2012 Oct;59(2):341-8.
- Varghese S, Kubatka P, Rodrigo L, et al. Chili pepper as a body weight-loss food. Int J Food Sci Nutr. 2017 Jun;68(4):392-401.
- Becher T, Palanisamy S, Kramer DJ, et al. Brown adipose tissue is associated with cardiometabolic health. *Nat Med.* 2021 Jan;27(1):58-65.
- Fernandez-Verdejo R, Marlatt KL, Ravussin E, et al. Contribution of brown adipose tissue to human energy metabolism. *Mol Aspects Med*. 2019 Aug;68:82-9.
- Available at: https://hms.harvard.edu/news/new-obesity-tool. Accessed October, 24, 2022.

- Joseph A, Maliakkal Balakrishnan A, Natinga Mulakal J, et al. A green approach for the sustained-intestinal delivery of red chili (Capsicum annum L) extracted capsaicinoids with enhanced bioavailability. *Journal of Functional Foods*. 2021 2021/10/01/;85:104658.
- Lv J, Qi L, Yu C, et al. Consumption of spicy foods and total and cause specific mortality: population based cohort study. *BMJ*. 2015 Aug 4;351:h3942.
- Shi Z, Riley M, Taylor AW, et al. Chilli consumption and the incidence of overweight and obesity in a Chinese adult population. *Int J Obes* (Lond). 2017 Jul;41(7):1074-9.



Not All Capsaicin Is the Same

Capsaicin is derived from red chili pepper. Studies have shown that it is an effective compound to help reduce body weight by promoting energy expenditure. ^{5,6}

Regular **capsaicin** can cause stomach distress. This has discouraged people from taking advantage of capsaicin's weight loss benefits.

In a recent development, a **patented** process surrounds the capsaicin, using a **fenugreek galactomannan fiber**, which allows for sustained, targeted, and minimally irritating intestinal delivery.

This enhances absorption and bioavailability.4

Support Your Body With LACTOFERIN

This product is available at fine health food stores everywhere.

"Excellent product, high quality."

Gil

VERIFIED CUSTOMER REVIEW



Lactoferrin is a component of milk protein best known for its immune benefits.

An array of published studies also describes how lactoferrin may support bone, cartilage, and tendon health.

Item #01681

60 vegetarian capsules









Maintain Optimal Hormone Levels

7-Keto® is a metabolite of **DHEA** ideal for weight management.

Maintaining youthful DHEA levels can help support immune function, circulatory health, mood, libido, and more.

DHEA Complete delivers **7-Keto® DHEA (100 mg)** and regular **DHEA (25 mg)**, plus extracts from curcumin, green tea, and whole red grapes.




This product is available at fine health food stores everywhere.

Item #02478


60 vegetarian capsules (Two-month supply)



This supplement should be taken in conjunction with a healthy diet and regular exercise program. Individual results may vary and are not guaranteed.



MANAGE STRESS




Optimized Ashwagandha

Ashwagandha has been shown to:

- Support a healthy response to everyday stress
- Promote emotional well-being
- Encourage already-healthy levels of cortisol, the stress hormone

Optimized Ashwagandha provides standardized leaf and root extracts at a low cost.





60 vegetarian capsules

Sensoril® is protected under US Patent No. 7,318,938 and is a registered trademark of Natreon, Inc.

This product is available at fine health food stores everywhere.



Optimized







Bladder Problems Worsen with Age

Urinary issues tend to become more common in women as they age. Onset of symptoms is usually observed over the age of 40.4

The prevalence and severity of symptoms are greater in women than in men. A population study with 40- to 99-year-old women participants from the U.S., UK, and Sweden revealed that:⁵

- 56% experience incontinence,
- 36% experience urinary urgency,
- 34% experience nighttime urination, and
- 25% experience frequent urination.

The median daytime urinary frequency is 3-4 hours (6-8 times daily).⁶ Those afflicted with an overactive bladder have to go to the bathroom more frequently (>8 times during the day and >1 time at night).²

According to a study, *only* **46**% of symptomatic women have discussed any urinary concerns with their health care provider.⁴ Many are self-conscious about these symptoms but assume they are an unavoidable part of aging.⁷

Those who do seek medical advice are often prescribed drugs with **minimal benefits** at best. For example, only about **13%** of participants taking drugs achieve urinary continence, and side effects prompt some patients to discontinue medication.³

In contrast, a clinical study found that a blend of **three plant extracts**³ was well-tolerated by participating women, *improved* urinary symptoms, and significantly *improved* participants' quality of life.

How Does this Herbal Combination Work?

In a rat model of **overactive bladder**, the herbal blend reversed the alterations in various biomarkers in the urine and lining of bladder and muscle, leading to improvement of urinary symptoms in:⁷

- Storage phase (e.g., urgency, frequency, nocturia)
- Voiding/Post-voiding phase (e.g., hesitancy, intermittency, weak stream, dribbling post-voiding)

The researchers suggest that the ability of these **plant extracts** to favorably alter markers of urinary changes in the rat model may explain the clinically significant benefits observed in the **human** study.⁷

Twenty Years in Development

More than **20 years** ago, naturopath and medical herbalist Dr. Tracey Seipel began researching an effective solution to **urinary problems** for her patients.⁸ She sifted through the medical literature on **plant compounds** that had been traditionally used to treat bladder issues and gradually began incorporating some into her clinical practice.³

Eventually, Dr. Seipel's experiential research allowed her to refine a treatment that included a blend of **three plant extracts**, each with a history of effectiveness and each from a different area of health care:


- Horsetail (Equisetum arvense) from Western herbal medicine,
- Lindera (Lindera aggregata) from Chinese medicine, and
- Three-leaf caper (Crateva nurvala) from Ayurvedic medicine.

Reduced Urinary Symptoms

To validate Dr. Seipel's research on the blend of three plant extracts, scientists designed a randomized, **placebo-controlled** trial.³

They enlisted 88 women with an average age of **62 years** who had at **least two** of the following symptoms:

- Daytime urination episodes of 10 or more a day,
- Incontinence episodes of one or more per day,
- Urinary urgency episodes of two or more a day, and
- Nighttime urination episodes of two or more a night.





The treatment group took **840 mg** of the extract blend in the form of two capsules once daily. After just **eight weeks**:³

- Daytime urination episodes were restored to normal levels, decreasing from an average of 11.59 times a day to an average of just 7.88 times a day.
- Incontinence episodes were reduced by 65%, from an average of 3.49 times a day to an average of only 1.21 times a day,
- Urinary urgency episodes decreased by 57%, from an average of 3.77 times a day to an average of just 1.61 times a day, and
- Nighttime urination episodes were reduced by 43%, from an average of 3.76 times a night to an average of 2.15 times a night.

Improved Quality of Life

Women taking the plant extract also reported impressive improvements in quality-of-life questionnaires, including a:3

- 50% decrease in overactive bladder,
- 39% decrease in incontinence, and
- 39% decrease in urogenital distress.

A remarkable **79%** of women who took the blend reported feeling a **significant benefit**, compared to **17%** of women in the placebo group.

The extract blend produced these results *without* the side effects commonly seen with medications.³

Help For Women's Bladder Problems

- Urinary symptoms are common in women, especially after age 40. These include frequent urination, urinary incontinence, urinary urgency, and nighttime urination.
- A formula has been developed from extracts of **three** plants with a history of traditional use in addressing bladder disorders: **horsetail**, **lindera**, and **three-leaf caper**.
- In an animal model of overactive bladder, the herbal combination treatment reversed the detrimental shifts in bladder function parameters and in the levels of several tested biomarkers in the bladder epithelium and muscle.
- A placebo-controlled clinical trial has validated that this three-extract blend significantly improves urinary symptoms in women without harsh side effects.
- After eight weeks, this combination reduced daytime urination frequency to the *normal level* and incontinence episodes by 65%. It also significantly reduced urinary urgency and nighttime urination and improved quality of life.

Summary

Urinary problems are common in women as they age and can impact the quality of their life.

In a clinical study, a blend of extracts from the plants **horsetail**, **lindera**, and **three-leaf caper** was shown to *reduce* daytime urinary frequency, urinary incontinence, urinary urgency, and nighttime urination in women.

These benefits translate into improved quality of life, without the adverse side effects of drugs commonly prescribed for these problems. •

References

- 1. Macdiarmid SA. Maximizing the treatment of overactive bladder in the elderly. *Rev Urol.* 2008 Winter:10(1):6-13.
- Corcos J, Przydacz M, Campeau L, et al. CUA guideline on adult overactive bladder. Can Urol Assoc J. 2017 May;11(5):E142-e73.
- Schoendorfer N, Sharp N, Seipel T, et al. Urox containing concentrated extracts of Crataeva nurvala stem bark, Equisetum arvense stem and Lindera aggregata root, in the treatment of symptoms of overactive bladder and urinary incontinence: a phase 2, randomised, double-blind placebo controlled trial. BMC Complement Altern Med. 2018 Jan 31;18(1):42.
- Benner JS, Becker R, Fanning K, et al. Bother related to bladder control and health care seeking behavior in adults in the United States. J Urol. 2009 Jun;181(6):2591-8.
- Coyne KS, Sexton CC, Thompson CL, et al. The prevalence of lower urinary tract symptoms (LUTS) in the USA, the UK and Sweden: results from the Epidemiology of LUTS (EpiLUTS) study. BJU Int. 2009 Aug;104(3):352-60.
- Lukacz ES, Whitcomb EL, Lawrence JM, et al. Urinary frequency in community-dwelling women: what is normal? Am J Obstet Gynecol. 2009 May;200(5):552.e1-7.
- Zapała Ł, Juszczak K, Adamczyk P, et al. New Kid on the Block: The Efficacy of Phytomedicine Extracts Urox® in Reducing Overactive Bladder Symptoms in Rats. Front Mol Biosci. 2022;9:896624.
- Available at: https://seipelgroup.com/team/. Accessed Febuary, 1, 2023.

Lower Urinary Tract Symptoms

- Lower urinary tract symptoms (LUTS) are divided into storage and voiding/ micturition (urination) phases.
- Storage phase involves overactive bladder (OAB) and stress incontinence (SI).
- Overactive bladder (OAB) is a group of urinary symptoms, defined as having an urgent need to empty the bladder during the day or night, with or without incontinence.
- Median daytime urinary frequency is 3-4 hours 6-8 times daily.⁶
- Those afflicted with an overactive bladder have to go to the bathroom frequently
 (>8 times during the day and >1 time at night), may leak urine into their clothes, and report feeling depressed, stressed, and sleep deprived.
- This could be due to overactivity of the bladder detrusor (a muscle lining the urinary bladder, that manages storage and voiding of urine).²
- Stress incontinence is another common bladder problem in which women leak urine while sneezing, laughing, or doing other physical activities.
- Voiding symptoms include hesitancy, straining, terminal dribbling, intermittency, and slow, weak and/or interrupted stream.²





Restore Smoother, Youthful-Looking Skin from the Inside Out

Dryness and loss of firmness are outward signs of normal aging.

One reason is loss of ceramides that are required for skin to retain its moisture and youthful suppleness.

Skin Restoring Ceramides contains wheat-derived ceramide lipids in an oral capsule that hydrate the skin and smooth the appearance of fine lines and wrinkles.



ITEM #02096

30 liquid vegetarian capsules

This product is available at fine health food stores everywhere.







These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Healthy Vaginal Flora

FLORASSIST® PROBIOTIC Women's Health contains two probiotic strains.

One promotes microbial flora for **vaginal** health.

The other supports **digestive** and **immune functions**.

Several clinical trials have shown that:

- L. plantarum ROSELL®A
 oral intake helps restore
 and maintain a microbiome
 to support proper vaginal
 health.^{1,2}
- L. helveticus LAFTI® L10
 promotes digestive health³
 and encourages a healthy
 immune response.⁴

Just <u>one</u> capsule daily provides the broad and targeted **probiotic** support a woman needs.

References

- 1. Nutrafoods. 2013;12:35-42.
- 2. Eur Rev Med Pharmacol Sci. 2018 Jan;22(1):262-7.
- 3. Nutrafoods. 2005,4:2-3.
- 4. J Strength & Conditioning Res. 2017;31(1):62-70.

L. plantarum ROSELL®A is L. plantarum P17630 (Proge P17630®), licensed from PROGE FARM®, Italy.









Vaginal, Digestive, and Immune Support



Item #02505

30 vegetarian capsules

This product is available at fine health food stores everywhere.

GREAT ALONE,

Better Together



Curcumin helps promote a healthy inflammatory response.

Pro-Resolving Mediators help remove cellular debris and build new, healthy tissue.

This complementary combo promotes a healthy inflammatory response.

Curcumin Elite™

Item #02407

60 500 mg vegetarian capsules

GLUTEN



Pro-Resolving Mediators

Item #02223

30 softgels

These products are available at fine health food stores everywhere.

Nutrients for Preventing Frailty

Starting around age 40, we lose roughly **8%** of muscle mass **per decade**. After age 70, muscle mass decreases by about **15%** per decade.¹

This drastic decline in muscle mass is called **sarcopenia**. It increases the risk for falls and fractures, hospitalization,² and **disability**.^{3,4}

Eventually, *frailty* can set in, which speeds up passage on the road to lost independence and early death.⁵

<u>Two</u> nutrients have been shown to head off sarcopenia and frailty by *rebuilding lost muscle mass* in aging adults.


These can be added to a protein-sufficient diet or protein supplements that contain body-mass-building amino acids.

Maintained Muscle Mass

Beta-hydroxy beta-methylbutyrate, or HMB, is a compound created during metabolism of the amino acid leucine.⁶

HMB helps decrease muscle breakdown (called **catabolism**) and increase muscle buildup (**anabolism**).⁷⁻¹¹

HMB levels decline with age, a drop that correlates with diminished muscle mass and strength.¹²



A 2015 meta-analysis found that <u>oral</u> intake of HMB *preserved muscle mass* in older adults and may help prevent muscle atrophy.¹³

One study showed that HMB intake could even preserve lean body mass in the face of sustained **bed rest**, a powerful stimulus for sarcopenia.¹⁴

Improved Exercise Results

HMB has also been shown to help boost **lean body mass** when used with **resistance training**. 15,16

In one study, a group of 70-yearolds participated in a resistance training exercise program five days a week. During that time, they took **one gram** of **HMB** or a **placebo** three times a day.¹⁵

After eight weeks, those taking HMB had an **increase** in lean body mass of **1.76 pounds**, while placebo recipients lost **0.44 pounds**—despite exercising five days a week.

This study showed that HMB can augment strength training in older adults.

Vitamin D3 can complement that action by further enhancing muscle strength.

Vitamin D3 Boosts Strength

Sarcopenia, associated with problems with balance and gait, adds to the risk of falling and fractures in older individuals.¹⁷

Vitamin D3 intake improves muscle strength and performance. 18,19

Studies show that it's possible to increase **muscle strength** simply by boosting vitamin D levels.

A controlled trial of 160 postmenopausal women, aged 50-65, found that supplemental vitamin D3 provided significant protection

Combat Four Underlying Factors of Sarcopenia

There are four primary factors that contribute to sarcopenia. HMB or vitamin D3 mitigates each of these underlying factors:

Factor #1: Skeletal muscle protein imbalance causes muscle to break down faster than it is rebuilt.

HMB exerts pro-anabolic (muscle build-up) and anti-catabolic (anti-breakdown) properties.⁹

Factor #2: Declining sex hormone levels due to aging reduce muscle mass.

Vitamin D supports sex hormone synthesis²⁴ and muscle contractile strength.²⁵

Factor #3: Falling numbers and activity of mitochondria greatly contribute to sarcopenia.²⁶

Vitamin D3 signaling improves mitochondrial function and dynamics, which can increase muscle strength.²⁷

Factor #4: As muscles break down, levels of pro-inflammatory markers rise.²⁸

Vitamin D3 acts as an immune modulating hormone that can suppress inflammation associated with sarcopenia.²⁹

against sarcopenia, as evidenced by an increase in muscle strength and control of progressive loss of muscle mass in the treatment group.²⁰ Falls can happen because of **inadequate muscle mass** and **poor coordination** or balance.²¹

Vitamin D3 shows promise for combatting *both* factors.

Researchers assigned women to receive either **1,000 IU/day** of vitamin D3 or a placebo. After nine months, those who took vitamin D had a **25.3%** increase in leg muscle strength, while women in the **placebo** group lost **6.8%** of their lean mass.²⁰

A meta-analysis of clinical studies suggests that adequate intake of vitamin D not only preserves but also *improves* muscle strength.¹⁸ That's an important finding, since loss of overall muscle strength can increase the risk of **mortality.**²²

The greatest benefits were seen in those who had the lowest vitamin D levels at the beginning of the study (less than **12 ng/mL**) and in older subjects.

Other studies have found that increased vitamin D intake in deficient elderly adults led to improved **balance** and a *decreased* risk of **falls**.²³

Summary

HMB and vitamin D have been shown to combat **sarcopenia** and help prevent **frailty** by maintaining and boosting muscle mass and performance.

HMB contributes to improvements in strength and lean muscle mass, while **vitamin D3** helps boost muscle strength and improve balance.


A combination of HMB and vitamin D3, along with adequate protein intake, may help maintain optimal muscle mass, strength, and function well into older age. •

References

- Kim TN, Choi KM. Sarcopenia: definition, epidemiology, and pathophysiology. J Bone Metab. 2013 May;20(1):1-10.
- Beaudart C, Rizzoli R, Bruyere O, et al. Sarcopenia: burden and challenges for public health. Arch Public Health. 2014;72(1):45.
- Janssen I, Baumgartner RN, Ross R, et al. Skeletal muscle cutpoints associated with elevated physical disability risk in older men and women. Am J Epidemiol. 2004 Feb 15;159(4):413-21.
- Janssen I, Shepard DS, Katzmarzyk PT, et al. The healthcare costs of sarcopenia in the United States. J Am Geriatr Soc. 2004 Jan;52(1):80-5.
- Cesari M, Landi F, Vellas B, et al. Sarcopenia and physical frailty: two sides of the same coin. Front Aging Neurosci. 2014:6:192
- Slater GJ, Jenkins D. Beta-hydroxy-betamethylbutyrate (HMB) supplementation and the promotion of muscle growth and strength. Sports Med. 2000 Aug;30(2): 105-16.
- Smith HJ, Mukerji P, Tisdale MJ. Attenuation of proteasome-induced proteolysis
 in skeletal muscle by beta-hydroxy-betamethylbutyrate in cancer-induced muscle
 loss. Cancer Res. 2005 Jan 1;65(1):277-83.
- Smith HJ, Wyke SM, Tisdale MJ.
 Mechanism of the attenuation of proteolysis-inducing factor stimulated protein
 degradation in muscle by beta-hydroxybeta-methylbutyrate. Cancer Res. 2004
 Dec 1;64(23):8731-5.
- Wilkinson DJ, Hossain T, Limb MC, et al. Impact of the calcium form of β-hydroxyβ-methylbutyrate upon human skeletal muscle protein metabolism. Clin Nutr. 2018 Dec;37(6 Pt A):2068-75.
- Wilson GJ, Wilson JM, Manninen AH. Effects of beta-hydroxy-beta-methylbutyrate (HMB) on exercise performance and body composition across varying levels of age, sex, and training experience: A review. Nutr Metab (Lond). 2008 Jan 3;5:1.
- Lin Z, Zhao A, He J. Effect of β-hydroxyβ-methylbutyrate (HMB) on the Muscle Strength in the Elderly Population: A Meta-Analysis. Frontiers in Nutrition. 2022 2022-July-13;9.
- Kuriyan R, Lokesh DP, Selvam S, et al. The relationship of endogenous plasma concentrations of β-Hydroxy β-Methyl Butyrate (HMB) to age and total appendicular lean mass in humans. *Exp Gerontol*. 2016 Aug;81:13-8.

- Wu H, Xia Y, Jiang J, et al. Effect of beta-hydroxy-beta-methylbutyrate supplementation on muscle loss in older adults: a systematic review and metaanalysis. Arch Gerontol Geriatr. 2015 Sep-Oct;61(2):168-75.
- Deutz NE, Pereira SL, Hays NP, et al. Effect of β-hydroxy-β-methylbutyrate (HMB) on lean body mass during 10 days of bed rest in older adults. *Clin Nutr.* 2013 Oct;32(5):704-12.
- Vukovich MD, Stubbs NB, Bohlken RM. Body composition in 70-year-old adults responds to dietary beta-hydroxy-betamethylbutyrate similarly to that of young adults. J Nutr. 2001 Jul;131(7):2049-52.
- Sanz-Paris A, Camprubi-Robles M, Lopez-Pedrosa JM, et al. Role of Oral Nutritional Supplements Enriched with β-Hydroxy-β-Methylbutyrate in Maintaining Muscle Function and Improving Clinical Outcomes in Various Clinical Settings. J Nutr Health Aging. 2018;22(6):664-75.
- 17. Available at: https://www.nia. nih.gov/health/falls-and-fractures-older-adults-causes-andprevention#:~:text=Age%2Drelated%20 loss%20of%20muscle,all%20risk%20 factors%20for%20falling. Accessed December, 14, 2022.
- Beaudart C, Buckinx F, Rabenda V, et al.
 The effects of vitamin D on skeletal muscle strength, muscle mass, and muscle power: a systematic review and meta-analysis of randomized controlled trials. J Clin Endocrinol Metab. 2014 Nov;99(11):4336-45.
- Rejnmark L. Effects of vitamin d on muscle function and performance: a review of evidence from randomized controlled trials. Ther Adv Chronic Dis. 2011 Jan;2(1):25-37.

- Cangussu LM, Nahas-Neto J, Orsatti CL, et al. Effect of vitamin D supplementation alone on muscle function in postmenopausal women: a randomized, double-blind, placebo-controlled clinical trial. Osteoporos Int. 2015 Oct;26(10):2413-21.
- 21. Gama ZA, Gomez-Conesa A. [Risk factors for falls in the elderly: systematic review]. Rev Saude Publica. 2008 Oct;42(5):946-56.
- Wang H, Hai S, Liu Y, et al. Skeletal Muscle Mass as a Mortality Predictor among Nonagenarians and Centenarians: A Prospective Cohort Study. Sci Rep. 2019 Feb 20;9(1):2420.
- Kougias DG, Das T, Perez AB, et al. A role for nutritional intervention in addressing the aging neuromuscular junction. *Nutr Res.* 2018 Feb 17;53:1-14.
- 24. Kinuta K, Tanaka H, Moriwake T, et al. Vitamin D is an important factor in estrogen biosynthesis of both female and male gonads. *Endocrinology*. 2000 Apr;141(4):1317-24.
- Girgis CM, Clifton-Bligh RJ, Hamrick MW, et al. The roles of vitamin D in skeletal muscle: form, function, and metabolism. *Endocr Rev.* 2013 Feb;34(1):33-83.
- Marzetti E, Calvani R, Cesari M, et al. Mitochondrial dysfunction and sarcopenia of aging: from signaling pathways to clinical trials. *Int J Biochem Cell Biol.* 2013 Oct;45(10):2288-301.
- Ryan ZC, Craig TA, Folmes CD, et al. 1α,25-Dihydroxyvitamin D3 Regulates Mitochondrial Oxygen Consumption and Dynamics in Human Skeletal Muscle Cells. J Biol Chem. 2016 Jan 15;291(3):1514-28.
- 28. Dalle S, Rossmeislova L, Koppo K. The Role of Inflammation in Age-Related Sarcopenia. *Front Physiol.* 2017;8:1045.
- Sassi F, Tamone C, D'Amelio P. Vitamin D: Nutrient, Hormone, and Immunomodulator. Nutrients. 2018 Nov 3;10(11).





90 vegetarian capsules



Item #02032

Net Wt. 93.35 g (0.206 lb. or 3.293 oz)

These products are available at fine health food stores everywhere.

Reference: *Gerontology. 1996;42(3):170-80.

Magtein™ is a registered trademark of Magceutics, Inc. and is distributed exclusively by AIDP, Inc. Magtein™ is protected under U.S. patents 8,178,118; 8,142,803; 8,163,301 and other patents pending.



1. Akay Internal Study. Liposomal hydrogel vitamin C pharmacokinetics. Data on file. 2021.

STRESSED?





This product is available at fine health food stores everywhere.











Beyond Heart Health

Fish oil is a rich source of **omega-3 fatty acids** that primarily include **EPA** (**eicosapentaenoic acid**) and **DHA** (**docosahexaenoic acid**).

Studies support *higher* intake of omega-3s for the prevention and management of **cardiovascular** conditions. 1-8

Regular omega-3 intake can lower risk of heart attack and stroke and reduce *mortality from heart disease*.^{5,7-10}


The **pharmaceutical** industry has even created fish oil-derived **drugs** for reducing cardiovascular risks. These drugs, such as Lovaza®, and Vascepa®, are approved by the U.S. Food and Drug Administration (FDA) to reduce risk of cardiovascular events.^{11,12}

Fish Consumption and Lifespan

A decade ago, a **16-year** study concluded that a **fish-rich diet** significantly *predicts* **longevity**.

Data on **2,692** senior adults showed that subjects with **high** blood levels of **omega-3 fatty acids** had:¹³

- 2.2 years of longer lifespan,
- 27% decrease in overall mortality risk, and
- 35% decrease in heart disease mortality risk.



The omega-3 **DHA** was associated with a **40% reduction** in the risk of coronary heart disease death and substantially reduced mortality risk from arrhythmia (irregular heartbeat).¹³

In **2021**, a massive study evaluated **191,558** individuals' data and concluded that weekly intake of **175** grams (two servings) of oily fish was associated with:¹⁴

- Lower risk of death among patients with previous cardiovascular disease,
- Lower risk of death from major cardiovascular disease, and
- Lower risk of sudden cardiac death.

Longevity Benefits for High-Risk Patients

These and other findings prompted studies on intake of **fish oil**.

A prospective study assessed **fish oil** intake and mortality among people with **cardiometabolic multimorbidity**. ¹⁵ This refers to having at least <u>two</u> of the chronic diseases, diabetes, stroke, or heart disease, which translates to exponentially *higher* mortality risk. ¹⁶

Fish oil use by these patients was associated with a **17% lower** risk of **all-cause mortality**. Cardiovascular disease mortality risk was also reduced.

Taking fish oil at **age 45** was associated with **adding 1.66 years to life expectancy.** 15

Longevity Benefits in the General Population

A *second* study using the UK Biobank cohort examined a whopping **502,536** volunteers aged 40-69 who live in the United Kingdom.¹⁰

Analysis showed that regular **fish oil** intake was associated with significantly **reduced**:

- All-cause mortality,
- Cardiovascular disease mortality,
- Heart attack incidence, and
- Cardiovascular events.

These associations were *independent* of numerous risk factors, including sex, age, ethnicity, body mass index, produce consumption, smoking, alcohol use, exercise, and various comorbidities.



Amazingly, even cold-water fish consumption didn't change the benefits found for fish oil supplements to these outcomes. 10

Another, earlier study looked at associations between higher blood levels of omega-3 fatty acids and mortality, using data from the Framingham Heart Study, one of the world's longest-running human studies.¹⁷

Those with the highest omega-3 blood levels, compared to the lowest, had an astonishing 34% lower risk of death from any cause.17

Lifespan Increase in **Laboratory Model**

Beyond the human lifespan studies discussed so far, laboratory researchers are discovering even greater longevity effects of omega-3s.

For over a century, researchers have used the fruit fly to study aging biology.¹⁸ This fly has a short lifespan, so that effects can be observed in a fairly short amount of time, plus its genome is 60% identical to humans.19

Scientists used the fruit fly in a study of the lifespan effects of omega-3 intake. Adding EPA and DHA to the flies' diets increased their median lifespan by 14.6%.20

Longevity-Promoting Fish Oil

- The heart benefits of **fish oil** are wellestablished, and recent studies provide compelling evidence of fish oil's potent longevity effects.
- Human data reveal that higher intake of fish or fish oil may add years to lifespan.
- An animal model showed that **EPA** and **DHA** supplementation increased lifespan by 14.6%. That same percentage applied to humans would mean 11.5 years additional survival.
- One recent study estimates that a dietary lack of omega-3 oil may shorten lifespan as much as smoking.
- Innovative technology has allowed scientists to pack high amounts of fish oil into sugar-free, chewable forms for an alternative way to promote longer life.

If the average human lifespan were extended by a similar percentage, that would be an additional **11.5** years of life.²¹

This study shows that in a widely studied model organism, *fish oil supplementation* resulted in a marked **longevity increase**. This type of controlled intervention data in a time-tested biological model adds weight to the case, based on population data, for an enhancement of longevity from **fish oil** supplements.

Broad Benefits of Fish Oil

Recent data offer strong indications that the benefits of higher **fish oil** and **omega-3** fatty acid intake go beyond improving longevity and heart health.

Brain

- High omega-3 intake in midlife was found to maintain brain white matter integrity in old age.²⁶
- Omega-3 lowered postpartum symptoms of depression compared to placebo.²⁷
- Omega-3 significantly improved depression symptoms in pregnant and postpartum women.²⁸

Insulin Resistance

- Omega-3 supplementation decreased fasting blood glucose as well as insulin resistance, compared to placebo.²⁹
- Fish oil or oily fish intake was associated with a lower risk of type II diabetes.³⁰

Sarcopenia

- Omega-3 intake promoted muscle mass³¹ and strength³² in older adults.
- There is emerging evidence for beneficial effects of omega-3 fats in this muscle-wasting disease.³³

A Fish Oil-Longevity Explanation

One researcher has investigated possible explanations for this fish oil-longevity association by examining the role of **bioactive lipids**—a group that includes **EPA** and **DHA**—in age-related disease.²²

This review noted that the body derives several healthy fats, including **EPA** and **DHA**, from dietary intake of **alpha-linolenic** acid found most abundantly in plant foods.

Alpha-linolenic acid is converted to **EPA/DHA** in the body by the action of enzymes known as **desaturases**.²²

Desaturase activity *declines* with age. As a result, aging cells can become deficient in various bioactive lipids, including **EPA** and **DHA**, potentially contributing to aging and metabolic abnormalities.

This scientist concluded that <u>direct</u> oral intake of bioactive lipids such as **EPA** and **DHA** may aid "in the prevention, postponing, or even reversing of some of the aspects of aging."^{22,23}

Low Fish Oil Intake Shortens Life Similar to Smoking

How much impact might fish oil have on lifespan? A recent study analyzed Framingham Heart Study data for individuals in their mid-sixties and concluded that:²⁴

- Smoking was associated with a life expectancy reduction of 4.73 years, while
- The <u>lowest</u> body levels of omega 3, compared to the highest, were associated with a life expectancy reduction of 4.74 years.

In other words, for people in their 60s, <u>low</u> levels of **omega-3**s are as much of a risk for early mortality as smoking, based on these data.

Alternative to Softgels

Seeking ways to improve compliance with **fish oil** intake recommendations, Norwegian scientists spent **10 years** developing a *new* option for those who don't like softgels or capsules.

They created a water and protein matrix containing *tiny* droplets of fish oil, allowing for a higher nutrient load in a smaller space.²⁵ The result is a "gummy bite" that is small, tasty and sugar-free.

The smaller droplets also provide more surface area, enhancing breakdown by digestive **enzymes** in the body.²⁵

For those who don't like to swallow **capsules**, this innovative technology packs **high-dose fish oil** into gummy bites.

Summary

Higher **fish oil** intake has long been shown to prevent and manage **cardiovascular conditions**.

Recent evidence links *higher* fish or fish oil intake, and higher blood levels of omega-3 fatty acids from fish, with **increased longevity** as well.

The highest **omega-3** blood levels were linked to a **34% lower** risk of *death from any cause*.

Innovative technology has been used to produce a tasty, sugar-free, tropical fruit-flavored, gummy-bite form of fish oil for those who don't like swallowing softgels. •

References

- Koh KK, Quon MJ, Shin KC, et al. Significant differential effects of omega-3 fatty acids and fenofibrate in patients with hypertriglyceridemia. Atherosclerosis. 2012 Feb;220(2):537-44.
- Kumar S, Sutherland F, Teh AW, et al. Effects of chronic omega-3 polyunsaturated fatty acid supplementation on human pulmonary vein and left atrial electrophysiology in paroxysmal atrial fibrillation. Am J Cardiol. 2011 Aug 15;108(4):531-5.
- Moertl D, Hammer A, Steiner S, et al. Dose-dependent effects of omega-3-polyunsaturated fatty acids on systolic left ventricular function, endothelial function, and markers of inflammation in chronic heart failure of nonischemic origin: a double-blind, placebocontrolled, 3-arm study. Am Heart J. 2011 May;161(5):915.e1-9.
- Nodari S, Triggiani M, Campia U, et al. n-3 polyunsaturated fatty acids in the prevention of atrial fibrillation recurrences after electrical cardioversion: a prospective, randomized study. *Circulation*. 2011 Sep 6;124(10):1100-6.
- Svensson M, Schmidt EB, Jørgensen KA, et al. N-3 fatty acids as secondary prevention against cardiovascular events in patients who undergo chronic hemodialysis: a randomized, placebo-controlled intervention trial. Clin J Am Soc Nephrol. 2006 Jul;1(4):780-6.
- Takaki A, Umemoto S, Ono K, et al. Add-on therapy of EPA reduces oxidative stress and inhibits the progression of aortic stiffness in patients with coronary artery disease and statin therapy: a randomized controlled study. *J Atheroscler Thromb*. 2011;18(10):857-66.
- Harris WS, Del Gobbo L, Tintle NL. The Omega-3 Index and relative risk for coronary heart disease mortality: Estimation from 10 cohort studies. Atherosclerosis. 2017 Jul;262:51-4.
- Hu Y, Hu FB, Manson JE. Marine Omega-3 Supplementation and Cardiovascular Disease: An Updated Meta-Analysis of 13 Randomized Controlled Trials Involving 127 477 Participants. J Am Heart Assoc. 2019 Oct;8(19):e013543.
- Harris WS, Luo J, Pottala JV, et al. Red blood cell polyunsaturated fatty acids and mortality in the Women's Health Initiative Memory Study. J Clin Lipidol. 2017 Jan-Feb;11(1):250-9.e5.
- Li Z-H, Zhong W-F, Liu S, et al. Associations of habitual fish oil supplementation with cardiovascular outcomes and all cause mortality: evidence from a large population based cohort study. *BMJ*. 2020;368:m456.
- 11. Ito MK. A Comparative Overview of Prescription Omega-3 Fatty Acid Products. *Pt.* 2015 Dec;40(12):826-57.

What's Behind the Fish Oil-Longevity Link

Scientists are still exploring *how* higher **fish oil** intake may lead to greater longevity. Emerging research provides a glimpse into at least some of the possible connections:

- A healthy level of omega-3 fatty acids can reduce and help resolve chronic inflammation. 34-37 This helps lower the risk for most age-related—and potentially life-shortening—chronic diseases, including cancer, obesity, diabetes, and dementia.
- A study of patients with chronic kidney disease found that omega-3 intake resulted in longer telomeres within white blood cells. Telomeres are the longevity-associated chromosomal "clocks" that shorten as we age.³⁸
- Omega-3 fatty acids are precursors of signaling compounds known as endocannabinoids.³⁹ The endocannabinoid system is involved in regulation of appetite, pain sensation, mood, and memory.⁴⁰
- Blood levels of DHA and total omega-3
 fatty acids have been found to be significantly correlated, in middle-aged and elderly women, with diversity in the gut microbiome, the intestinal community of microbes.⁴¹ Greater diversity is nearly always associated with greater disease resistance and better health.





- 12. Available at: https://www.accessdata.fda.gov/scripts/cder/ob/index. cfm. Accessed January, 5, 2023.
- 13. Mozaffarian D, Lemaitre RN, King IB, et al. Plasma phospholipid longchain ω-3 fatty acids and total and cause-specific mortality in older adults: a cohort study. Ann Intern Med. 2013 Apr 2:158(7):515-25.
- 14. Mohan D, Mente A, Dehghan M, et al. Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Intern Med. 2021 May 1;181(5):631-49.
- 15. Ma T, He L, Luo Y, et al. Use of fish oil and mortality of patients with cardiometabolic multimorbidity: A prospective study of UK biobank. Nutr Metab Cardiovasc Dis. 2022 Dec;32(12):2751-9.
- 16. Raghavan S, Vassy JL, Ho YL, et al. Diabetes Mellitus-Related All-Cause and Cardiovascular Mortality in a National Cohort of Adults. Journal of the American Heart Association. 2019;8(4):e011295.
- 17. Harris WS, Tintle NL, Etherton MR, et al. Erythrocyte long-chain omega-3 fatty acid levels are inversely associated with mortality and with incident cardiovascular disease: The Framingham Heart Study. J Clin Lipidol. 2018 May-Jun;12(3):718-27.e6.
- 18. Stephenson R, Metcalfe NH. Drosophila melanogaster: a fly through its history and current use. J R Coll Physicians Edinb. 2013;43(1):70-5.
- 19. Mirzovan Z. Sollazzo M. Allocca M. et al. Drosophila melanogaster: A Model Organism to Study Cancer. Frontiers in Genetics. 2019 2019-March-01;10.
- 20. Champigny CM, Cormier RPJ, Simard CJ, et al. Omega-3 Monoacylglyceride Effects on Longevity, Mitochondrial Metabolism and Oxidative Stress: Insights from Drosophila melanogaster. Mar Drugs. 2018 Nov 16;16(11).
- 21. Available at: https://www.lifespan.io/topic/life-expectancy/. Accessed December, 22, 2022.
- 22. Das UN. "Cell Membrane Theory of Senescence" and the Role of Bioactive Lipids in Aging, and Aging Associated Diseases and Their Therapeutic Implications. Biomolecules. 2021 Feb 8;11(2).
- 23. Naghshi S, Aune D, Beyene J, et al. Dietary intake and biomarkers of alpha linolenic acid and risk of all cause, cardiovascular, and cancer mortality: systematic review and dose-response meta-analysis of cohort studies. BMJ. 2021;375:n2213.
- 24. McBurney MI, Tintle NL, Vasan RS, et al. Using an erythrocyte fatty acid fingerprint to predict risk of all-cause mortality: the Framingham Offspring Cohort. Am J Clin Nutr. 2021 Oct 4:114(4):1447-54.
- 25. Haug I, Sagmo L, Zeiss D, et al. Bioavailability of EPA and DHA delivered by gelled emulsions and soft gel capsules. European Journal of Lipid Science and Technology. 2011 02/01;113:137-45.
- 26. Tsiknia AA, Bergstrom J, Reas ET. Midlife omega-3 fatty acid intake predicts later life white matter microstructure in an age- and APOEdependent manner. Cerebral Cortex. 2022.
- 27. Nishi D, Su KP, Usuda K, et al. Plasma estradiol levels and antidepressant effects of omega-3 fatty acids in pregnant women. Brain Behav Immun. 2020 Mar:85:29-34.

How Can You Test Omega-3 Levels?

The best way to know if you are getting enough omega-3 fatty acids is to test your blood levels. The Omega-3 Index is a finger-stick blood test that can measure the percentage of omega-3 fatty acids in your red blood cells.

Ideally, your Omega-3 Index score should be greater than 6.8%. The typical Japanese Omega-3 Index score is above 8.0%, which may help account in part for the five-year longer life expectancy in Japan compared to the United States.24

To order the at-home Omega-3 Index test, call 1-800-544-4440 or visit www.LifeExtension.com.

- 28. Zhang MM, Zou Y, Li SM, et al. The efficacy and safety of omega-3 fatty acids on depressive symptoms in perinatal women: a metaanalysis of randomized placebo-controlled trials. Transl Psychiatry. 2020 Jun 17;10(1):193.
- 29. Delpino FM, Figueiredo LM, da Silva BGC, et al. Omega-3 supplementation and diabetes: A systematic review and meta-analysis. Crit Rev Food Sci Nutr. 2022;62(16):4435-48.
- 30. Chen GC, Arthur R, Qin LQ, et al. Association of Oily and Nonoily Fish Consumption and Fish Oil Supplements With Incident Type 2 Diabetes: A Large Population-Based Prospective Study. Diabetes Care. 2021 Mar;44(3):672-80.
- 31. Huang YH, Chiu WC, Hsu YP, et al. Effects of Omega-3 Fatty Acids on Muscle Mass, Muscle Strength and Muscle Performance among the Elderly: A Meta-Analysis. Nutrients. 2020 Dec 4;12(12).
- 32. Cornish SM, Cordingley DM, Shaw KA, et al. Effects of Omega-3 Supplementation Alone and Combined with Resistance Exercise on Skeletal Muscle in Older Adults: A Systematic Review and Meta-Analysis. Nutrients. 2022 May 26;14(11).
- 33. Dupont J, Dedeyne L, Dalle S, et al. The role of omega-3 in the prevention and treatment of sarcopenia. Aging Clin Exp Res. 2019 Jun;31(6):825-36.
- 34. Simopoulos AP. The importance of the ratio of omega-6/omega-3 essential fatty acids. Biomed Pharmacother. 2002 Oct;56(8):365-79.
- 35. Simopoulos AP. An Increase in the Omega-6/Omega-3 Fatty Acid Ratio Increases the Risk for Obesity. Nutrients. 2016 Mar 2;8(3):128.
- 36. Simopoulos AP. Omega-3 fatty acids in inflammation and autoimmune diseases. J Am Coll Nutr. 2002 Dec;21(6):495-505.
- 37. Calder PC. Omega-3 fatty acids and inflammatory processes: from molecules to man. Biochem Soc Trans. 2017 Oct 15;45(5):1105-15.
- 38. Barden A, O'Callaghan N, Burke V, et al. n-3 Fatty Acid Supplementation and Leukocyte Telomere Length in Patients with Chronic Kidney Disease. Nutrients. 2016 Mar 19;8(3):175.
- 39. Dyall SC. Interplay Between n-3 and n-6 Long-Chain Polyunsaturated Fatty Acids and the Endocannabinoid System in Brain Protection and Repair. Lipids. 2017 Nov;52(11):885-900.
- 40. Manzanares J, Julian M, Carrascosa A. Role of the cannabinoid system in pain control and therapeutic implications for the management of acute and chronic pain episodes. Curr Neuropharmacol. 2006 Jul;4(3):239-57.
- 41. Menni C, Zierer J, Pallister T, et al. Omega-3 fatty acids correlate with gut microbiome diversity and production of N-carbamylglutamate in middle aged and elderly women. Scientific Reports. 2017 12/01;7.

Broccoli THE TREE OF LIFE

Just <u>one</u> daily **Optimized Broccoli and Cruciferous Blend** tablet provides cell-protective compounds found in fresh vegetables.

For maximum absorption each **enteric coated** tablet contains <u>two</u> layers:

- Myrosinase to release sulforaphane in the small intestine in one layer
- **DIM** (3,3'-diindolylmethane) to promote healthy estrogen balance
- Glucoraphanin from broccoli, watercress, cabbage and rosemary (sulforaphane precursors) in the other layer

"I feel this has made the difference! My hormones seem to be falling into place."

MJ

VERIFIED CUSTOMER REVIEW



Item #02368

30 enteric-coated vegetarian tablets

This product is available at fine health food stores everywhere.



- Indian Bael fruit^{1,2}
- Saffron^{3,4}
- Andrographolide¹

Studies have shown these nutrients can:

- Support breathing capacity
- Help protect lungs from environmental factors1
- Promote lung function²⁻⁴



Item #02512

30 vegetarian capsules

This product is available at fine health food stores everywhere.

References: 1. PLT Study. 2022. Unpublished. Data on file. 2. Phytother Res. 2018 Jan;32(1):140-50. 3. Respir Res. 2019 Feb 22;20(1):39. 4. Respir Med. 2018 Dec;145:28-34.









These products are available at fine health food stores everywhere.

OD VEGETARIAN DISTARY







Protect Peripheral Nerves with Lipoic Acid

BY JACK ROSS

Over 20 million Americans are estimated to have some form of **peripheral neuropathy**, a nerve disease that can lead to pain, numbness, and weakness, most often in the hands, feet, and legs.

Peripheral neuropathy has different causes, with **diabetes** and blood vessel problems notable among them.¹

As it worsens, **diabetic peripheral neuropathy** may lead to the development of foot ulcers and the need for foot or leg amputations.² People with peripheral neuropathy also have higher rates of **overall mortality**.³

But there's good news. A nutrient called **lipoic acid** has been successfully used for the treatment of diabetic neuropathy in Germany for decades.^{4,5}

Clinical trials in people suffering from **diabetic neuropathy** show that **lipoic acid** can reduce **pain** and other symptoms,⁶⁻⁹ and may help prevent progression of nerve damage.⁹



What Is Peripheral Neuropathy?

Peripheral neuropathy is a general term for disease of the nerves outside the brain and spinal cord.¹⁰

Peripheral neuropathies, diabetic^{2,11} or non-diabetic, often begin in the feet, and often progress up the leg over time.^{1,12}

Among other conditions that affect nerves, the most common culprit is **high blood sugar**, which is why people with type II diabetes have the *highest* rates of neuropathy.^{2,13}

Estimates of the prevalence of peripheral neuropathy in diabetics range as high as **70**%.¹

In adults *without* diabetes, peripheral neuropathy occurs much less frequently than in those with diabetes.¹³ Alcohol abuse,¹³ some chemotherapy drugs,¹³ hereditary diseases, vitamin B12 deficiency, and other health conditions can contribute to or cause its development.^{1,14}

Peripheral neuropathy often results in loss of function, numbness, tingling, and extreme pain.¹²

Eventually, it may result in loss of balance. 10 Diabetic neuropathy may result in difficulty walking and increased risk of falls. 5

Diabetic neuropathy is the major cause of diabetic **foot ulcers** and **infections**, which can lead to leg **amputations**.^{2,13} A large, clinical study showed lower-limb amputation rates in those with **diabetes** were **15 times** higher than in <u>non</u>-diabetics.¹⁵

Neuropathy in diabetics can also affect nerves that control heart and blood vessels, causing abnormalities of heart rate and blood vessel function. **Cardiac autonomic neuropathy** can be associated with a high risk of arrhythmias, and sudden cardiac death.^{16,17}

One large study found that peripheral neuropathy is an independent predictor of *higher* **overall mortality**.³

Lipoic Acid Defends Nerves


Lipoic acid is a compound produced in the body and also found in small amounts in some vegetables and animal products, particularly organ meats.¹⁸

It plays an essential role in turning glucose and other nutrients into energy.¹⁹ It enhances glucose uptake,²⁰ and plays a role in modulating **insulin sensitivity**.²¹

It is also a potent **antioxidant** that helps fight oxidative stress. It even helps regenerate several *other* antioxidants. ^{12,22}

One review reported that lipoic acid can help decrease pain signals by blocking channels on pain-sensing nerve cells.⁵

Lipoic acid has been licensed and used in the management of **diabetic peripheral neuropathy** for decades in Germany.⁵





Easing Pain and Improving Function

Scientists have conducted many clinical trials of lipoic acid for diabetic peripheral neuropathy. 6-9,18

Nerve conduction studies, which measure how efficiently electrical signals move through a nerve, have shown that lipoic acid can improve nerve function. Nerve conduction velocities that were previously slowed were boosted with lipoic acid use.8

Additional benefits have been identified in other trials.

For example, a clinical study in diabetics found that lipoic acid not only improved peripheral neuropathy scores, it also significantly decreased feelings of depression.9 Diabetics are two to three times more likely than non-diabetics to have depression.²³

Another clinical study found that 50% of subjects felt their quality of life and overall health condition was "very much better" or "much better" following 40 days of lipoic acid supplementation.6

Studies have shown that lipoic acid led to improvements in potentially deadly cardiac autonomic neuropathy as well.8,24

Lipoic acid use has also been associated with improvements in body mass index,5,8,25 cholesterol levels,6 and markers of blood glucose control.8,24

Get Relief from Peripheral Nerve Pain

- Peripheral neuropathy is a common condition marked by loss of sensation, tingling, numbness, and pain in the peripheral nerves.
- The most common cause is high blood sugar, seen in type II diabetes, but people without diabetes can also suffer from peripheral neuropathy.
- Peripheral neuropathy is associated with an increased risk of overall mortality.
- The nutrient **lipoic acid** can help relieve peripheral neuropathy symptoms. including pain and numbness, and may also improve nerve function.

Summary

Peripheral neuropathy is a common condition that causes numbness, tingling, pain, and loss of function in the peripheral nerves. In diabetics, it is associated with an increased risk of amputations, falls, and death.

Lipoic acid has been used to treat diabetic peripheral neuropathy in Germany for decades.

Clinical studies show that it can lead to significant reductions in pain, numbness, and other symptoms. •

Two Forms of Lipoic Acid

Lipoic acid occurs in two different forms: R-lipoic acid and S-lipoic acid.

Most production methods result in a mixture of these forms. 18,26

The "S" form is not very biologically active. The "R" form is the biologically active component (and the kind produced by the body) that is responsible for lipoic acid's phenomenal antioxidant effect.^{18,26}

A lipoic acid formula that provides **100%** R-lipoic acid can be readily used by the body, maximizing its health benefits.

Animal and human studies demonstrate that R-lipoic acid provides clinical benefits with *much greater biological activity*. 18,26,27

References

- Available at: https://www.ninds.nih.gov/peripheral-neuropathy-factsheet. Accessed January, 9, 2023.
- Hicks CW, Selvin E. Epidemiology of Peripheral Neuropathy and Lower Extremity Disease in Diabetes. Curr Diab Rep. 2019 Aug 27;19(10):86.
- Hicks CW, Wang D, Matsushita K, et al. Peripheral Neuropathy and All-Cause and Cardiovascular Mortality in U.S. Adults: A Prospective Cohort Study. Ann Intern Med. 2021 Feb;174(2):167-74.
- Ziegler D, Reljanovic M, Mehnert H, et al. Alpha-lipoic acid in the treatment of diabetic polyneuropathy in Germany: current evidence from clinical trials. Exp Clin Endocrinol Diabetes. 1999;107(7):421-30.

- Nguyen N, Takemoto JK. A Case for Alpha-Lipoic Acid as an Alternative Treatment for Diabetic Polyneuropathy. J Pharm Pharm Sci. 2018;21(1s):177s-91s.
- Agathos E, Tentolouris A, Eleftheriadou I, et al. Effect of alpha-lipoic acid on symptoms and quality of life in patients with painful diabetic neuropathy. J Int Med Res. 2018 May;46(5):1779-90.
- El-Nahas MR, Elkannishy G, Abdelhafez H, et al. Oral Alpha Lipoic Acid Treatment for Symptomatic Diabetic Peripheral Neuropathy: A Randomized Double-Blinded Placebo-Controlled Study. Endocr Metab Immune Disord Drug Targets. 2020;20(9):1531-4.
- Elbadawy AM, Abd Elmoniem RO, Elsayed AM. Alpha lipoic acid and diabetes mellitus: potential effects on peripheral neuropathy and different metabolic parameters. Alexandria Journal of Medicine. 2021;57(1):113-20.
- Karalis DT, Karalis T, Karalis S, et al. The Effect of Alpha-Lipoic Acid on Diabetic Peripheral Neuropathy and the Upcoming Depressive Disorders of Type II Diabetics. Cureus. 2021 Jan 18;13(1):e12773.
- Available at: https://www.hopkinsmedicine.org/health/conditionsand-diseases/peripheral-neuropathy#:~:text=The%20most%20 common%20type%20of,as%20burning%20pain%20or%20paralysis. Accessed January, 9, 2023.
- 11. Deli G, Bosnyak E, Pusch G, et al. Diabetic neuropathies: diagnosis and management. *Neuroendocrinology*. 2013;98(4):267-80.
- Available at: https://www.statpearls.com/articlelibrary/viewarticle/25827. Accessed January, 12, 2023.
- Hicks CW, Wang D, Windham BG, et al. Prevalence of peripheral neuropathy defined by monofilament insensitivity in middleaged and older adults in two US cohorts. Sci Rep. 2021 Sep 27;11(1):19159.
- Staff NP, Windebank AJ. Peripheral neuropathy due to vitamin deficiency, toxins, and medications. Continuum (Minneap Minn). 2014 Oct;20(5 Peripheral Nervous System Disorders):1293-306.
- Kamitani F, Nishioka Y, Noda T, et al. Incidence of lower limb amputation in people with and without diabetes: a nationwide 5-year cohort study in Japan. BMJ Open. 2021 Aug 17;11(8):e048436.
- 16. Agashe S, Petak S. Cardiac Autonomic Neuropathy in Diabetes Mellitus. *Methodist Debakey Cardiovasc J.* 2018 Oct-Dec;14(4):251-6.
- Serhiyenko VA, Serhiyenko AA. Cardiac autonomic neuropathy: Risk factors, diagnosis and treatment. World J Diabetes. 2018 Jan 15;9(1):1-24.
- Available at: https://lpi.oregonstate.edu/mic/dietary-factors/lipoicacid#food-sources. Accessed January, 9, 2023.
- Packer L, Cadenas E. Lipoic acid: energy metabolism and redox regulation of transcription and cell signaling. J Clin Biochem Nutr. 2011 Jan;48(1):26-32.
- 20. Golbidi S, Badran M, Laher I. Diabetes and alpha lipoic Acid. *Front Pharmacol.* 2011;2:69.
- Ansar H, Mazloom Z, Kazemi F, et al. Effect of alpha-lipoic acid on blood glucose, insulin resistance and glutathione peroxidase of type 2 diabetic patients. Saudi Med J. 2011 Jun;32(6):584-8.
- 22. Available at: https://www.ncbi.nlm.nih.gov/books/ NBK564301/#!po=91.6667. Accessed 12/05/2022.
- 23. Available at: https://www.cdc.gov/diabetes/managing/mental-health. html. Accessed January, 12, 2023.
- 24. Serhiyenko VA, Serhiyenko LM, Sehin VB, et al. Effect of alphalipoic acid on arterial stiffness parameters in type 2 diabetes mellitus patients with cardiac autonomic neuropathy. *Endocr Regul.* 2021 Dec 7;55(4):224-33.
- Namazi N, Larijani B, Azadbakht L. Alpha-lipoic acid supplement in obesity treatment: A systematic review and meta-analysis of clinical trials. Clin Nutr. 2018 Apr;37(2):419-28.
- 26. Carlson DA, Smith AR, Fischer SJ, et al. The plasma pharmacokinetics of R-(+)-lipoic acid administered as sodium R-(+)-lipoate to healthy human subjects. *Altern Med Rev.* 2007 Dec;12(4):343-51.
- 27. Mrakic-Sposta S, Vezzoli A, Maderna L, et al. R(+)-Thioctic Acid Effects on Oxidative Stress and Peripheral Neuropathy in Type II Diabetic Patients: Preliminary Results by Electron Paramagnetic Resonance and Electroneurography. Oxid Med Cell Longev. 2018;2018:1767265.

Comprehensive EYE HEALTH Formula



Cyanidin-3-glucoside assists with night vision.6-8

- Saffron has been shown to help support vision as demonstrated by doctors' eye exams.1
- Alpha-carotene further helps support macular density.1

These products are available at fine health food stores everywhere.



- 1. JAMA Ophthalmol. 2015;133(12):1415-24. 2. Nutrients. 2013 April;5(4):1169-85. 3. Nutrition. 2011 Sep;27(9):960-6. 4. Free Radic Biol Med. 2012;53(6):1298-307.

- 4. Free Hatric Biot Wed. 2012;35(6):1286-307.

 5. J Ophthalmol. 2015;2015:523027.

 6. Evid Based Complement Alternat Med. 2012;2012:429124.

 7. Invest Ophthalmol Vis Sci. 2010;51(12):6118-24.
- J Agric Food Chem. 2003 Jun 4;51(12):3560-3.







MacuGuard® Ocular Support with Saffron & Astaxanthin

MacuGuard®

Item #01993

60 softgels



MacuGuard® Ocular Support with Saffron

Item #01992


60 softgels

(Each bottle lasts for two months.)

MacuGuard® Ocular Support is available with or without astaxanthin.



This product is available at fine health food stores everywhere.



EXTEND-RELEASE MAGNESIUM

When You Need It


Innovative delivery system provides immediate <u>and</u> extended-release magnesium for full-body coverage of this essential mineral.





Item #02107

60 vegetarian capsules





Lactoferrin's Cell Regenerative Effects

BY GREGORY E. BIGFORD, PHD, MSBA

Lactoferrin is a multi-functional protein known for its ability to support **immunity**.

Research in preclinical¹⁻⁵ and clinical settings^{6,7} reveals how **lactoferrin** helps prevent growth of **microbes**, including bacteria and viruses, in healthy cells.

A recent clinical trial in **Japan** found that this protein has properties that can help mitigate **infectious diseases** including summer colds.⁸

Emerging preclinical data suggest that **lactoferrin** can also help promote cellular **regeneration**.³ In other words, it has potential to help the body heal and repair itself.

What is Lactoferrin?

Lactoferrin is a protein primarily found in milk, tears, nasal fluids, saliva, and secretions from gastro-intestinal, and reproductive tissues.^{1,9}

It is also found in blood plasma,⁹ immune cells such as neutrophils,¹⁰ and macrophages.¹ It helps facilitate **immune responses** against pathogens such as bacteria, parasites, fungi, and viruses.¹


Lactoferrin Against Viral Illnesses

Lactoferrin is present in our body and is a factor in the body's defense against infections.

It strengthens the immune system by blocking the direct viral invasion of cells.¹¹

One unusual feature of **lactoferrin** is the diversity of viruses it can shield against. It possesses robust **antiviral** activity against viruses that cause the **common cold** and **flu**, gastroenteritis, hepatitis B and C, herpes simplex, Epstein-Barr virus, and more.^{4,11}

Lactoferrin also has *indirect* antiviral effects. It helps the body fight against a virus by **activating immune** defenses. It boosts the activity and number of **natural killer** cells. ^{1,12,13} Viruses replicate inside cells. Natural killer cells can recognize abnormal cells, including those infected by viruses, and destroy them. This can help prevent the spread of a virus in the body.





Lactoferrin also stimulates the production of other antiviral compounds, including the signaling proteins known as **interferons**.^{2,8,11}

Lactoferrin may also help block the ability of viruses to **reproduce** even if they're already inside cells.¹¹ This helps limit the spread of the virus, potentially reducing the severity of the resulting illness.

While <u>some</u> lactoferrin is produced in the body, oral intake can boost its levels.

In more recent years, scientists have conducted research into its potential ability to help the body repair damaged tissues and cells.

Regenerative Properties

Inflammation and **oxidative stress** can severely harm cells, leading to deterioration of body systems and chronic disease.

Preclinical studies have shown lactoferrin's **anti-inflammatory** and **antioxidant** properties help protect against that damage.¹⁴ It works by stimulating anti-inflammatory molecules,^{2,13} inhibiting pro-inflammatory molecules,^{2,15,16} and scavenging free radicals^{14,17-19} to reduce oxidative stress.²⁰⁻²³

Lactoferrin also has *direct* properties of **regeneration** and **repair**. It can:

- Bind and interact with **DNA** to protect genetic material against damage,¹⁴
- Promote healthy cell division,²⁴ and
- Spur differentiation of stem cells (when stem cells mature and develop into specialized cell types).^{25,26}

Together, these actions may help the body repair itself and even **reverse** some of the damage that comes with aging.

Bone Benefits

Much of the research on lactoferrin's regenerative qualities has focused on **bone health**.

Studies have found that lactoferrin can promote proliferation of *bone-forming* cells known as **osteoblasts** and the differentiation of stem cells into **bone cells.**^{3,27} Preclinical studies have shown it can also activate bone-building signals that normally halt with age.²⁸⁻³⁰



This could be important for people with osteoporosis, in which bones become brittle and prone to fractures.31 Osteoporosis is alarmingly common, affecting 30% of women aged 50 or older, 77% of women over 80, 16% of men 50 or older, and 46% of men over 80.32

In a randomized placebo-controlled human trial, women aged 45 to 60 years, who were at high risk for osteoporosis, were given 125 mg per day of lactoferrin (enriched with an enzyme from milk called ribonuclease) for 180 days. In those who received the lactoferrin, there was a significant reduction in bone resorption and an increase in bone formation.33

One of the side effects of bisphosphonates (drugs to prevent bone loss) is osteonecrosis (in which bone dies due to low blood flow).

In a study of people with bisphosphonate-induced osteonecrosis, a lactoferrin-saturated dressing was applied directly to wounds after surgical removal of dead bone. Bone healing and wound closure were complete in just one to two weeks, compared with two to three months under usual treatment.34

Other studies have shown that lactoferrin inhibits the process of bone breakdown.^{3,35} Lactoferrin may also be able to offset bone degeneration and promote regenerative processes, preserving bone mass and improving bone architecture.36

Another human study shows lactoferrin supplementation to be beneficial in people with periodontal disease 37

The Regenerative Power of Lactoferrin

- Lactoferrin is a milk protein often consumed as a dietary supplement to support immune health.
- Research shows that lactoferrin is active against a wide assortment of pathogens.
- It works by helping to block viral invasion of cells and by amplifying the immune system's power to eliminate viral infection from the body.
- Early research has shown that lactoferrin can promote cellular and tissue regeneration and repair, processes that help the body reverse damage.
- Preclinical research shows that lactoferrin has anti-cancer effects.
- Research suggests that lactoferrin may spur the formation of new blood vessels, helping restore blood flow to damaged tissue.

Repairing Cartilage and Tendons

Like bone, **cartilage** tends to wear down with age, leading to pain and stiffness at the joints. **Osteoarthritis**, the most common type of arthritis,³⁸ and **disc degenerative disease** both involve the progressive deterioration and degradation of vertebral discs and cartilage.³⁹

A **lactoferrin-derived peptide** has shown promise in addressing these degenerative processes. In preclinical studies, it was found to inhibit inflammatory mediators and break down processes in joint cartilage⁴⁰⁻⁴² and discs. ^{42,43}

Tendons are fibrous tissues that attach muscle to bone. In an animal model, a **lactoferrin-derived peptide** was effective in enhancing tendon repair after injuries that result in loss of functional mobility.⁴⁴

A <u>human</u> trial in patients undergoing tendon repair surgery found that injection of the same peptide into the surgical site led to a significant improvement in **function** and **mobility**.⁴⁵

Wound Healing

Lactoferrin has also shown great potential as a wound-healing agent.

In a clinical trial in diabetic patients, a population prone to chronic skin ulcers, application of a gel that incorporated a synthetic form of lactoferrin resulted in **reduced neuropathic ulcer size**.⁴⁶

In cell and animal models of **burn wounds**, a plantderived lactoferrin that is identical to human lactoferrin stimulated skin cell function and wound healing.⁴⁷

In preclinical studies, direct application of lactoferrin also accelerates the wound-healing process in the **cornea** of the eye, ^{48,49} and the mucous lining of airways.⁵⁰

Emerging Applications


A review published in **2021** noted lactoferrin's ability to modulate growth, proliferation, and differentiation of **stem cells** into **osteoblasts**.

The review also indicated the potential of lactoferrin in supporting **angiogenesis** (formation of new blood vessels).³ Blood vessel development is a vital step in regenerative medicine as it enables the restoration of blood flow to damaged tissues.⁵¹

"Talactoferrin" is a recombinant protein, a synthetic drug form of human lactoferrin. Preclinical studies of **skin wounds** show that talactoferrin can increase the **healing rate** and decrease the healing time of the wound.⁵²

Lactoferrin has also shown **anti-cancer** effects, contributing to cell-cycle arrest and cell death in cancerous cells.^{53,54} In an animal study, lactoferrin in conjunction with other factors substantially suppressed **prostate tumor** growth in mice.⁵⁵

More clinical research remains to be done, but lactoferrin holds great promise in helping the body repair itself and in promoting overall health.





Potential Benefits of Lactoferrin

- In cartilage models, a lactoferrinderived peptide helped preserve tissue and suppress inflammation. 40,41,56
- A synthetic peptide derived from lactoferrin, injected into the surgical site in human tendon repair surgery, resulted in improved sensory and mobility recovery.45
- In a rodent, as well as a bone cell model, it promoted healthy bone metabolism and structure.29,57
- The same lactoferrin-derived peptide promoted preservation of intervertebral disc cells.43
- In a clinical trial, a topically applied gel made with a synthetic lactoferrin drug promoted significantly greater healing of diabetic neuropathic ulcers.46
- In laboratory and animal models, direct application of lactoferrin aided in healing the corneal tissue that forms the surface of the eye. 48,49
- In a preclinical study, a plant-derived lactoferrin that is identical to human lactoferrin stimulated skin cell function and wound healing.47
- Evidence from preclinical studies indicates it may possess various anti-cancer effects. 1,12,54

Supplementing with Lactoferrin

Lactoferrin has a wide range of benefits. A typical dose of lactoferrin is 300 mg once or twice daily.

Taken orally, lactoferrin is readily absorbed and can play an important role in bolstering defenses against viral illnesses

Summary

Many people consume lactoferrin for immune support. A significant amount of preclinical research has shown that various forms of this protein, or its derivatives, may also aid the body's regenerative processes, helping to repair damage to bone, cartilage, and tendons, speed the healing of wounds, and more.

These and other effects hold great promise for our approach to osteoporosis, arthritis, and other degenerative disorders. •

References

- 1. Moreno-Exposito L, Illescas-Montes R, Melguizo-Rodriguez L, et al. Multifunctional capacity and therapeutic potential of lactoferrin. Life Sci. 2018 Feb 15;195:61-4.
- 2. Drago-Serrano ME, Campos-Rodriguez R, Carrero JC, et al. Lactoferrin: Balancing Ups and Downs of Inflammation Due to Microbial Infections. Int J Mol Sci. 2017 Mar 1;18(3).
- 3. Antoshin AA, Shpichka AI, Huang G, et al. Lactoferrin as a regenerative agent: The old-new panacea? Pharmacol Res. 2021 May:167:105564.
- 4. Costagliola G, Nuzzi G, Spada E, et al. Nutraceuticals in Viral Infections: An Overview of the Immunomodulating Properties. Nutrients. 2021 Jul 14;13(7).
- 5. Kell DB, Heyden EL, Pretorius E. The Biology of Lactoferrin, an Iron-Binding Protein That Can Help Defend Against Viruses and Bacteria. Front Immunol. 2020;11:1221.
- 6. Sinopoli A, Isonne C, Santoro MM, et al. The effects of orally administered lactoferrin in the prevention and management of viral infections: A systematic review. Rev Med Virol. 2022 Jan;32(1):e2261.
- 7. Presti S, Manti S, Parisi GF, et al. Lactoferrin: Cytokine Modulation and Application in Clinical Practice. J Clin Med. 2021 Nov 23;10(23).
- Oda H, Wakabayashi H, Tanaka M, et al. Effects of lactoferrin on infectious diseases in Japanese summer: A randomized, doubleblinded, placebo-controlled trial. J Microbiol Immunol Infect. 2021 Aug;54(4):566-74.
- Superti F. Lactoferrin from Bovine Milk: A Protective Companion for Life. Nutrients. 2020 Aug 24;12(9).
- 10. Actor JK, Hwang SA, Kruzel ML. Lactoferrin as a natural immune modulator. Curr Pharm Des. 2009;15(17):1956-73.
- 11. Wakabayashi H, Oda H, Yamauchi K, et al. Lactoferrin for prevention of common viral infections. J Infect Chemother. 2014 Nov;20(11):666-71.
- 12. Zhang Y, Lima CF, Rodrigues LR. Anticancer effects of lactoferrin: underlying mechanisms and future trends in cancer therapy. Nutr Rev. 2014 Dec;72(12):763-73.
- 13. Legrand D. Overview of Lactoferrin as a Natural Immune Modulator. J Pediatr. 2016 Jun;173 Suppl:S10-5.
- 14. Bukowska-Osko I, Sulejczak D, Kaczynska K, et al. Lactoferrin as a Human Genome "Guardian"-An Overall Point of View. Int J Mol Sci. 2022 May 8;23(9).
- 15. Hwang SA, Wilk KM, Bangale YA, et al. Lactoferrin modulation of

- IL-12 and IL-10 response from activated murine leukocytes. *Med Microbiol Immunol.* 2007 Sep;196(3):171-80.
- Kruzel ML, Zimecki M, Actor JK. Lactoferrin in a Context of Inflammation-Induced Pathology. Front Immunol. 2017;8:1438.
- Liu H, Wu H, Zhu N, et al. Lactoferrin protects against iron dysregulation, oxidative stress, and apoptosis in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-induced Parkinson's disease in mice. *J Neurochem.* 2020 Feb:152(3):397-415.
- Ogasawara Y, Imase M, Oda H, et al. Lactoferrin directly scavenges hydroxyl radicals and undergoes oxidative self-degradation: a possible role in protection against oxidative DNA damage. *Int J Mol Sci.* 2014 Jan 14:15(1):1003-13.
- Ward PP, Cunningham GA, Conneely OM. Commercial production of lactoferrin, a multifunctional iron-binding glycoprotein. *Biotechnol Genet Eng Rev.* 1997;14:303-19.
- Legrand D, Pierce A, Elass E, et al. Lactoferrin structure and functions. Adv Exp Med Biol. 2008;606:163-94.
- 21. Shoji H, Oguchi S, Shinohara K, et al. Effects of iron-unsaturated human lactoferrin on hydrogen peroxide-induced oxidative damage in intestinal epithelial cells. *Pediatr Res.* 2007 Jan;61(1):89-92.
- Wang B, Timilsena YP, Blanch E, et al. Lactoferrin: Structure, function, denaturation and digestion. *Crit Rev Food Sci Nutr.* 2019;59(4):580-96.
- Kowalczyk P, Kaczynska K, Kleczkowska P, et al. The Lactoferrin Phenomenon-A Miracle Molecule. Molecules. 2022 May 4:27(9).
- Adlerova L, Bartoskova, A., Faldyna, M. Lactoferrin: A Review. Veterinarni Medicina. 2008;53(9):457-68.
- Icriverzi M, Bonciu A, Rusen L, et al. Human Mesenchymal Stem Cell Response to Lactoferrin-based Composite Coatings. *Materials* (Basel). 2019 Oct 18:12(20).
- Ying X, Cheng S, Wang W, et al. Effect of lactoferrin on osteogenic differentiation of human adipose stem cells. *Int Orthop.* 2012 Mar;36(3):647-53.
- Amini AA, Nair LS. Lactoferrin: a biologically active molecule for bone regeneration. Curr Med Chem. 2011;18(8):1220-9.
- 28. Li Y, Wang J, Ren F, et al. Lactoferrin Promotes Osteogenesis through TGF-beta Receptor II Binding in Osteoblasts and Activation of Canonical TGF-beta Signaling in MC3T3-E1 Cells and C57BL/6J Mice. J Nutr. 2018 Aug 1:148(8):1285-92.
- 29. Liu M, Fan F, Shi P, et al. Lactoferrin promotes MC3T3-E1 osteoblast cells proliferation via MAPK signaling pathways. *Int J Biol Macromol.* 2018 Feb;107(Pt A):137-43.
- Chen XW, Li YH, Zhang MJ, et al. Lactoferrin ameliorates agingsuppressed osteogenesis via IGF1 signaling. J Mol Endocrinol. 2019 Jul;63(1):63-75.
- 31. Available at: https://www.bones.nih.gov/health-info/bone/osteoporosis/overview. Accessed Aug, 2022.
- 32. Wright NC, Saag KG, Dawson-Hughes B, et al. The impact of the new National Bone Health Alliance (NBHA) diagnostic criteria on the prevalence of osteoporosis in the USA. Osteoporos Int. 2017 Apr;28(4):1225-32.
- Bharadwaj S, Naidu AG, Betageri GV, et al. Milk ribonuclease-enriched lactoferrin induces positive effects on bone turnover markers in postmenopausal women. Osteoporos Int. 2009 Sep;20(9):1603-11.
- 34. Calvani F, Cutone A, Lepanto MS, et al. Efficacy of bovine lactoferrin in the post-surgical treatment of patients suffering from bisphosphonate-related osteonecrosis of the jaws: an open-label study. *Biomet*als. 2018 Jun;31(3):445-55.
- 35. Kawazoe A, Inubushi T, Miyauchi M, et al. Orally administered liposomal lactoferrin inhibits inflammation-related bone breakdown without interrupting orthodontic tooth movement. *J Periodontol*. 2013 Oct;84(10):1454-62.
- Guo HY, Jiang L, Ibrahim SA, et al. Orally administered lactoferrin preserves bone mass and microarchitecture in ovariectomized rats. J Nutr. 2009 May;139(5):958-64.

- 37. Ishikado A, Uesaki S, Suido H, et al. Human trial of liposomal lactoferrin supplementation for periodontal disease. *Biol Pharm Bull.* 2010;33(10):1758-62.
- 38. Available at: https://www.niams.nih.gov/health-topics/osteoarthritis. Accessed Aug. 2022.
- Rustenburg CME, Emanuel KS, Peeters M, et al. Osteoarthritis and intervertebral disc degeneration: Quite different, quite similar. JOR Spine. 2018 Dec;1(4):e1033.
- Yan D, Kc R, Chen D, et al. Bovine lactoferricin-induced anti-inflammation is, in part, via up-regulation of interleukin-11 by secondary activation of STAT3 in human articular cartilage. *J Biol Chem.* 2013 Nov 1:288(44):31655-69.
- Yan D, Chen D, Shen J, et al. Bovine lactoferricin is anti-inflammatory and anti-catabolic in human articular cartilage and synovium. *J Cell Physiol*. 2013 Feb;228(2):447-56.
- Ahmadinia K, Yan D, Ellman M, et al. The anti-catabolic role of bovine lactoferricin in cartilage. *Biomol Concepts*. 2013 Oct;4(5):495-500.
- Kim JS, Ellman MB, An HS, et al. Lactoferricin mediates anabolic and anti-catabolic effects in the intervertebral disc. *J Cell Physiol*. 2012 Apr;227(4):1512-20.
- 44. Hakansson J, Mahlapuu M, Ekstrom L, et al. Effect of lactoferrin peptide (PXL01) on rabbit digit mobility after flexor tendon repair. J Hand Surg Am. 2012 Dec;37(12):2519-25.
- Wiig ME, Dahlin LB, Friden J, et al. PXL01 in sodium hyaluronate for improvement of hand recovery after flexor tendon repair surgery: randomized controlled trial. *PLoS One*. 2014;9(10):e110735.
- 46. Lyons TE, Miller MS, Serena T, et al. Talactoferrin alfa, a recombinant human lactoferrin promotes healing of diabetic neuropathic ulcers: a phase 1/2 clinical study. Am J Surg. 2007 Jan:193(1):49-54.
- Tang L, Wu JJ, Ma Q, et al. Human lactoferrin stimulates skin keratinocyte function and wound re-epithelialization. *Br J Dermatol.* 2010 Jul;163(1):38-47.
- 48. Pattamatta U, Willcox M, Stapleton F, et al. Bovine lactoferrin stimulates human corneal epithelial alkali wound healing in vitro. *Invest Ophthalmol Vis Sci.* 2009 Apr;50(4):1636-43.
- Pattamatta U, Willcox M, Stapleton F, et al. Bovine lactoferrin promotes corneal wound healing and suppresses IL-1 expression in alkali wounded mouse cornea. Curr Eye Res. 2013 Nov;38(11):1110-7
- 50. Jain R, Kim R, Waldvogel-Thurlow S, et al. The effects of topical agents on paranasal sinus mucosa healing: a rabbit study. *Int Forum Allergy Rhinol.* 2015 Apr;5(4):310-7.
- 51. Jahani M, Rezazadeh D, Mohammadi P, et al. Regenerative Medicine and Angiogenesis; Challenges and Opportunities. *Adv Pharm Bull.* 2020 Sep;10(4):490-501.
- Engelmayer J, Blezinger P, Varadhachary A. Talactoferrin stimulates wound healing with modulation of inflammation. *J Surg Res.* 2008 Oct;149(2):278-86.
- Gibbons JA, Kanwar RK, Kanwar JR. Lactoferrin and cancer in different cancer models. Front Biosci (Schol Ed). 2011 Jun 1;3(3):1080-8.
- 54. Zhou Y, Zeng Z, Zhang W, et al. Lactotransferrin: a candidate tumor suppressor-Deficient expression in human nasopharyngeal carcinoma and inhibition of NPC cell proliferation by modulating the mitogen-activated protein kinase pathway. *Int J Cancer.* 2008 Nov 1;123(9):2065-72.
- 55. Altwaijry N, Somani S, Parkinson JA, et al. Regression of prostate tumors after intravenous administration of lactoferrin-bearing polypropylenimine dendriplexes encoding TNF-alpha, TRAIL, and interleukin-12. *Drug Deliv.* 2018 Nov;25(1):679-89.
- 56. Gifford JL, Hunter HN, Vogel HJ. Lactoferricin: a lactoferrin-derived peptide with antimicrobial, antiviral, antitumor and immunological properties. *Cell Mol Life Sci.* 2005 Nov;62(22):2588-98.
- 57. Hou JM, Xue Y, Lin QM. Bovine lactoferrin improves bone mass and microstructure in ovariectomized rats via OPG/RANKL/RANK pathway. *Acta Pharmacol Sin.* 2012 Oct;33(10):1277-84.



PYCNOGENOL®

Pycnogenol[®] is a plant extract derived from French maritime pine bark. Its benefits are available in these three formulations:



*ARTERIAL PROTECT

Item #02004

30 vegetarian capsules





†VENOFLOW™

Item #02102

30 vegetarian capsules





*PYCNOGENOL®

French Maritime Pine Bark Extract

Item #01637

60 vegetarian capsules

ARTERIAL PROTECT

Provides Pycnogenol® and standardized gotu kola leaf extract to help stabilize endothelial plaque and promote healthy blood flow throughout the body.

VENOFLOW™

For those who sit for long periods while traveling or in the office, this proprietary blend of Pycnogenol® and nattokinase promotes healthy venous blood flow.

PYCNOGENOL®

Numerous published studies describe how concentrated extracts in Pycnogenol® help protect against multiple factors related to normal aging.

These products are available at fine health food stores everywhere.





*Pycnogenol® and Centellicum® are registered trademarks of Horphag Research.
Use of this product may be protected by one or more U.S. patents and other international patents.

†Pycnogenol® is a registered trademark of Horphag Research, Ltd.



Thermo Weight Control contains a patented red-chili extract that increases burning of calories.

Clinical results demonstrate reduced body mass including a decreased waist-to-hip ratio of 4% after only 28 days.

Thermo Weight Control targets calories with capsaicin embedded in a plant fiber for optimal systemic benefits.

Specially formulated for better absorption, these low-cost red-chili extract capsules can help maximize your weight management program.

BURN MORE CALORIES

This product is available at fine health food stores everywhere.

This supplement should be taken in conjunction with a healthy diet and regular exercise program. Individual results are not guaranteed, and results may vary.

*J Diet Suppl. 2021;18(4):387-405.




Item #02511

60 vegetarian capsules



NØN GMO LE CERTIFIED





BY CHANCELLOR FALOON

Nitric oxide plays a major role in the *dilation* of blood vessels.

It is vital for maintaining healthy **blood flow**,¹ **blood pressure**,² and **platelet function**.¹

The problem is that internal **nitric oxide** production decreases with age.^{3,4}

<u>Low</u> nitric oxide is associated with an increased risk of **cardiovascular diseases**,⁴ **cognitive decline**, and **dementia**.^{4,5}

Nitric oxide has a short half-life. It gets metabolized and quickly eliminated from the bloodstream.⁶

Aronia berry and a long-acting form of **L-arginine** each work to boost and sustain *higher* **nitric oxide** production.





Importance of Nitric Oxide

Nitric oxide is produced by nearly every cell in the body.^{7,8} It's needed to dilate **blood vessels**, allowing them to open up to increase blood flow.⁹

When we exercise^{9,10} or travel to higher altitudes,¹¹ our bodies release *more* nitric oxide to relieve blood vessel constriction.¹⁰

Nitric oxide is also produced in our nasal cavity when we breathe through our nose. This helps to combat viruses and bacteria. 12,13

The 1998 **Nobel Prize in Physiology or Medicine** was awarded to scientists who discovered its role in maintaining **cardiovascular health**. 14,15

With age, nitric oxide levels decline. This can result in **endothelial dysfunction**, when these cells lining the inner walls of arteries don't work properly.⁴ Blood vessels can't widen when needed, *reducing* blood flow.

That can lead to high blood pressure, atherosclerosis, abnormal clotting, and increased risk of **heart attacks**, **strokes**, and **sudden cardiac death**.

Endothelial dysfunction also increases the risk of dementia and cognitive dysfunction.^{3,16,17}

Long-Acting Form of L-Arginine

For the body to produce nitric oxide, no compound is more important than the amino acid **L-arginine**. It is the direct **precursor** nutrient that blood vessels use to make **nitric oxide**.

In a clinical trial, patients with high blood pressure were given either a placebo or a single dose of **L-arginine**. Measurements were taken of **flow-mediated dilation**, how much a blood vessel **dilates** (widens) in response to an increase in blood flow.


Participants who received the placebo had no change. But those given **L-arginine** had an average improvement in flow-mediated dilation from **1.7**% to **5.9**%.¹⁸

Considering that each 1% improvement in flow-mediated dilation correlates with a 12% lower risk of cardiovascular events, this suggests a potential 50% reduction in risk for cardiovascular events. 19,20

A drawback with L-arginine has been that it takes about an hour to take effect and it does not stay in the bloodstream for long.²¹

But scientists have developed a more **bioavailable** (more enters circulation and can have an effect) form of L-arginine called **inositol-stabilized arginine silicate**. It works within just **15 minutes** and sustains L-arginine levels for up to **six hours**.^{21,22}

Flow-Mediated Dilation



Flow-mediated dilation is the change in diameter of blood vessels in response to increased blood flow (such as exercise or high blood pressure).

It can assess vascular function and cardiovascular risk in an individual.

Research indicates that for every 1% increase in brachial artery flow-mediated dilation, the risk of cardiovascular events is reduced by 0.87%.

Inositol-stabilized arginine silicate appears to keep L-arginine levels *higher* for longer periods because it inhibits the enzyme **arginase**, which breaks down L-arginine.²³

This stabilized L-arginine form has demonstrated clinical benefits that standard L-arginine hasn't been shown to achieve.

In three recent randomized, controlled trials, inositol-stabilized arginine silicate improved working memory, processing speed, concentration, and other measurements of **cognition** in young adults.²⁴⁻²⁶

Effects of Aronia Berry

Aronia berries are native to North America and resemble cranberries. They have been thought of as a superfood due to their high content of vitamin C, **anthocyanins**, and other polyphenols.²⁷

Research indicates that low flow-mediated dilation of blood vessels is associated with a high risk of cardiovascular events.20 Research also suggests that aronia berries boost nitric oxide production by increasing the activation of an enzyme that converts L-arginine into endothelial nitric oxide.28

In a randomized, controlled trial, a daily intake of 500 mg of aronia whole fruit berry and extract powder for 12 weeks resulted in a 1.2% improvement in flowmediated dilation compared to placebo.²⁹ This corresponds to a nearly 11% reduction in the risk for cardiovascular events.19

In another clinical trial, 101 adults aged 40-60 years old were randomized to receive aronia berry extract or a placebo for 24 weeks.

Cognitive function was assessed using tests including the grooved pegboard test, in which pegs must be precisely rotated to match a slot before they can be inserted.30 This measures psychomotor speed, the ability to quickly think and then perform a motor action.

The results showed that those who received aronia berry extract daily had significantly higher scores on the test after just six weeks than those taking a placebo.

Taking **aronia** extract along with the new form of L-arginine may lead to even greater levels of nitric oxide production, maximizing the cardiovascular and cognitive benefits.



Keeping Blood Vessels Healthy

KNOW

- The endothelium is a layer of cells lining the inside of blood vessels. It produces nitric oxide, a molecule that signals the vessel to dilate, allowing blood to flow through.
- With age, nitric oxide production tends to decline, contributing to endothelial dvsfunction. This can increase the risk of heart attacks, strokes, cognitive decline, and dementia.
- L-arginine is a precursor the body needs to make nitric oxide. A new form, inositol-stabilized arginine silicate. improves its bioavailability and supports higher levels in the bloodstream for a longer time.
- Aronia berries help activate the enzyme that converts L-arginine into nitric oxide.
- Taking oral L-arginine improves blood vessel dilation enough to correlate with a 50% reduction in risk for cardiovascular events. It also improves several measures of cognition.
- In a clinical study, aronia berry extract also improved blood vessel dilation and significantly boosted scores on a test of cognitive function.
- Taking these two ingredients together may significantly boost nitric oxide production, reducing the risk for cardiovascular events and enhancing cognitive function.

Summary

Nitric oxide is needed to maintain the health of blood vessels. As production in the body decreases with age, the risk of **cardiovascular diseases** and **cognitive deficits** rises.

L-arginine and **aronia berry extract** have each been shown to *increase* nitric oxide production.

Research suggests that aronia berry increases the activation of an *enzyme* that converts the amino acid L-arginine into nitric oxide.

Clinical trials have shown that taking each has benefits for both **cardiovascular** and **cognitive** health.

Taking both together may result in ideal levels of nitric oxide production in the body for aging individuals. •

References

- Bescós R, Sureda A, Tur JA, et al. The effect of nitric-oxide-related supplements on human performance. Sports Med. 2012 Feb 1:42(2):99-117.
- Biswas OS, Gonzalez VR, Schwarz ER. Effects of an oral nitric oxide supplement on functional capacity and blood pressure in adults with prehypertension. J Cardiovasc Pharmacol Ther. 2015 Jan;20(1):52-8.
- 3. Sverdlov AL, Ngo DT, Chan WP, et al. Aging of the nitric oxide system: are we as old as our NO? *J Am Heart Assoc.* 2014 Aug 18;3(4).
- Torregrossa AC, Aranke M, Bryan NS. Nitric oxide and geriatrics: Implications in diagnostics and treatment of the elderly. *J Geriatr Cardiol*. 2011 Dec;8(4):230-42.
- Stephan BCM, Harrison SL, Keage HAD, et al. Cardiovascular Disease, the Nitric Oxide Pathway and Risk of Cognitive Impairment and Dementia. Curr Cardiol Rep. 2017 Aug 11;19(9):87.
- Thomas DD, Liu X, Kantrow SP, et al. The biological lifetime of nitric oxide: implications for the perivascular dynamics of NO and O2. *Proc Natl Acad Sci U S A*. 2001 Jan 2;98(1):355-60.
- Luiking YC, Engelen MP, Deutz NE. Regulation of nitric oxide production in health and disease. Curr Opin Clin Nutr Metab Care. 2010 Jan;13(1):97-104.
- Massion PB, Feron O, Dessy C, et al. Nitric oxide and cardiac function: ten years after, and continuing. Circ Res. 2003 Sep 5;93(5):388-08
- 9. Tschakovsky ME, Joyner MJ. Nitric oxide and muscle blood flow in exercise. *Appl Physiol Nutr Metab*. 2008 Feb;33(1):151-61.
- Ashor AW, Lara J, Siervo M, et al. Exercise modalities and endothelial function: a systematic review and dose-response meta-analysis of randomized controlled trials. Sports Med. 2015 Feb;45(2):279-96.
- 11. Janocha AJ, Koch CD, Tiso M, et al. Nitric oxide during altitude acclimatization. N Engl J Med. 2011 Nov 17;365(20):1942-4.
- Jorissen M, Lefevere L, Willems T. Nasal nitric oxide. Allergy. 2001 Nov;56(11):1026-33.
- Sodano F, Gazzano E, Fruttero R, et al. NO in Viral Infections: Role and Development of Antiviral Therapies. *Molecules*. 2022 Apr 5:27(7).
- Pai-Dhungat JV. Nitric Oxide (NO): Molecule of the Year 1992. J Assoc Physicians India. 2015 Dec;63(12):93.
- Rabelink AJ. [Nobel prize in Medicine and Physiology 1998 for the discovery of the role of nitric oxide as a signalling molecule]. Ned Tijdschr Geneeskd. 1998 Dec 26;142(52):2828-30.
- Tarantini S, Tran CHT, Gordon GR, et al. Impaired neurovascular coupling in aging and Alzheimer's disease: Contribution of astrocyte dysfunction and endothelial impairment to cognitive decline. *Exp Gerontol.* 2017 Aug;94:52-8.



- Luca M, Luca A. Oxidative Stress-Related Endothelial Damage in Vascular Depression and Vascular Cognitive Impairment: Beneficial Effects of Aerobic Physical Exercise. Oxid Med Cell Longev. 2019:2019:8067045.
- Lekakis JP, Papathanassiou S, Papaioannou TG, et al. Oral Larginine improves endothelial dysfunction in patients with essential hypertension. *Int J Cardiol.* 2002 Dec;86(2-3):317-23.
- Matsuzawa Y, Kwon TG, Lennon RJ, et al. Prognostic Value of Flow-Mediated Vasodilation in Brachial Artery and Fingertip Artery for Cardiovascular Events: A Systematic Review and Meta-Analysis. J Am Heart Assoc. 2015 Nov 13;4(11).
- Shimbo D, Grahame-Clarke C, Miyake Y, et al. The association between endothelial dysfunction and cardiovascular outcomes in a population-based multi-ethnic cohort. *Atherosclerosis*. 2007 May;192(1):197-203.
- Komorowski J, Perez Ojalvo S. A pharmacokinetic evaluation of the duration of effect of inositol-stabilized arginine silicate and arginine hydrochloride in healthy adult males. FASEB J. 2016;30(1_suppl).
- 22. Kalman DS, Feldman S, Samson A, et al. A clinical evaluation to determine the safety, pharmacokinetics, and pharmacodynamics of an inositol-stabilized arginine silicate dietary supplement in healthy adult males. Clin Pharmacol. 2015;7:103-9.
- 23. Komorowski J. P08-054 Arginase Inhibition by Inositol-stabilized Arginine Silicate (ASI; Nitrosigine®); A Novel Mechanism by which ASI Enhances Arginine Bioavailability. 2018.
- 24. Gills JL, Campitelli A, Jones M, et al. Acute Inositol-Stabilized Arginine Silicate Improves Cognitive Outcomes in Healthy Adults. Nutrients. 2021 Nov 26:13(12):4272.
- 25. Sowinski R, Gonzalez D, Xing D, et al. Effects of Inositol-Enhanced Bonded Arginine Silicate Ingestion on Cognitive and Executive Function in Gamers. *Nutrients*. 2021 Oct 24;13(11).
- 26. Tartar JL, Kalman D, Hewlings S. A Prospective Study Evaluating the Effects of a Nutritional Supplement Intervention on Cognition, Mood States, and Mental Performance in Video Gamers. *Nutrients*. 2019 Oct 1;11(10).
- Jurikova T, Mlcek J, Skrovankova S, et al. Fruits of Black Chokeberry Aronia melanocarpa in the Prevention of Chronic Diseases. *Molecules*. 2017 Jun 7;22(6):944.
- 28. Varela CE, Fromentin E, Roller M, et al. Effects of a natural extract of Aronia Melanocarpa berry on endothelial cell nitric oxide production. *J Food Biochem.* 2016 Aug;40(4):404-10.
- 29. Istas G, Wood E, Le Sayec M, et al. Effects of aronia berry (poly) phenols on vascular function and gut microbiota: a double-blind randomized controlled trial in adult men. *Am J Clin Nutr.* 2019 Aug 1;110(2):316-29.
- 30. Ahles S, Stevens YR, Joris PJ, et al. The Effect of Long-Term Aronia melanocarpa Extract Supplementation on Cognitive Performance, Mood, and Vascular Function: A Randomized Controlled Trial in Healthy, Middle-Aged Individuals. *Nutrients*. 2020 Aug 17;12(8).

HIGHLY PURIFIED FISH OIL



Super Omega-3 provides components found in Mediterranean diets, including sesame lignans to extend the stability of DHA in the blood.



SUPER OMEGA-3 PLUS

EPA/DHA Fish Oil, Sesame Lignans, Olive Extract, Krill & Astaxanthin

(2,520 mg of EPA + DHA in four softgels)

Item #01988 • 120 softgels

SUPER OMEGA-3

EPA/DHA Fish Oil, Sesame Lignans & Olive Extract

(2,400 mg of EPA + DHA in four softgels)

Item #01982 • 120 softgels

IFOS™ certification mark is a registered trademark of Nutrasource Diagnostics, Inc. These products have been tested to the quality and purity standards of the IFOS™ program conducted at Nutrasource Diagnostics, Inc.



Take Your SEXUAL Performance to the MAX



Prelox® and Pycnogenol® are registered trademarks of Horphag Research Ltd.

NO NO

Feeling Fried?



It may be declining NAD⁺ levels.

Resveratrol <u>activates</u> longevity proteins called **sirtuins**.

NAD⁺ enables cellular **sirtuins** to **function**.

Optimized NAD⁺ Cell Regenerator™ combines 300 mg of nicotinamide riboside with bioavailable resveratrol and quercetin.

NAD+ Cell Regenerator[™] and Resveratrol Elite[™]

Nicotinamide riboside (300 mg), bioavailable resveratrol and other cellenergizing nutrients in one capsule.

Item #02348 • 30 veg. caps.

NAD+ Cell Regenerator[™]

For those already taking resveratrol, provides **300 mg** of nicotinamide riboside per capsule.

Item #02344 • 300 mg • 30 veg. caps.




Set Sale Report





What is D-Ribose?



Normal aging results in a decline in muscle mass and energy production.^{1,2}

This energy *deficit* has an impact on heart health, cognitive function, and lifespan.²

D-ribose helps restore **energy** production in the body.³

It is a building block of adenosine triphosphate (ATP), the energy source for every cell.⁴

By supporting the production of ATP, **D-ribose** can help replenish the metabolic energy needed by all cells, including those in major organs such as the **heart** and **brain**.³

ATP, Energy, and D-Ribose

Energy in the body is produced in the form of adenosine triphosphate, ATP.

This takes place in mitochondria (powerhouse in each cell). ATP is the primary energy source for most biochemical and physiological processes, such as growth, movement and homeostasis.⁵

Mitochondrial function declines with age^{5,6} and other health conditions, such as heart failure, among others.³ This results in loss of ATP production and decreased energy levels.³

Hope for Heart Failure


Heart failure means the heart muscle is failing to pump enough blood to meet the body's metabolic requirements.

In heart failure, D-ribose production falls in heart muscle cells.^{3,7}

This leads to a *decrease* in **ATP** production, resulting in cellular energy deficiency in the muscle cells of the organs that need energy the most.⁷

Taking **oral D-ribose** can help create new ATP molecules and *restore* cardiac energy levels.^{7,8}

Clinical trials have shown that D-ribose taken orally can *improve* heart function in heart failure patients.⁹⁻¹¹



Lifestyle Modifications to Fight Fatigue¹⁸

A constant feeling of tiredness or weakness is called fatigue. It can affect anyone, and most adults will experience fatigue at some point in their life. Some lifestyle modifications that may help:

- Exercise: even a 15-minute walk can give you an energy boost.
- Lose weight if overweight.
- Get optimal sleep.
- Relieve stress: meditate, work out, do yoga, listen to music, have social support.
- · Limit alcohol and caffeine intake.
- Stay hydrated.

People with heart failure taking D-ribose were shown to improve **blood flow** through the heart and body *and* boost the exchange of oxygen and CO2 through the lungs, leading to improvements in breathing parameters.

Another study showed the ability of D-ribose to reduce symptoms and improve quality of life in **heart failure** patients.¹⁰

In a review of studies in animals and humans, D-ribose has been shown to increase **ATP production** in heart muscle cells and improve cardiac function.

In clinical trials D-ribose enhanced cardiac function and improved quality of life in patients with heart failure.⁷

Fibromyalgia

There is evidence that **defective production of ATP** is the one potential culprit behind **fibromyalgia** (a condition that causes pain throughout the body)¹² and chronic fatigue syndrome.^{13,14}

In an open-label, early study, patients with fibromyalgia or chronic fatigue syndrome took **5 grams** of **D-ribose** three times daily until they reached a total of **280 grams**.¹⁴

The participants reported significant improvement in <u>all</u> five categories on a standard questionnaire: energy, sleep, mental clarity, pain intensity, and well-being.

On average, patients reported a stunning **45%** <u>increase</u> in self-reported energy levels.

Restless Leg Syndrome

Restless leg syndrome is a disorder causing discomfort and pain in the legs. This condition progresses with age and often leads to insomnia. Disordered energy metabolism has been suggested as one possible cause of **restless leg syndrome**.

Based on that observation, researchers gave individuals with restless leg syndrome **5 grams** of **D-ribose**, three times per day. Remarkably, daytime symptoms were **completely eliminated**, and nighttime symptoms were *significantly reduced*.¹⁵

Exercise Performance

D-ribose is a building block of **ATP**.³ It may help speed muscle recovery after high-intensity exercise.

- In a double-blind cross-over study of 26 athletes, subjects were given either a dextrose sugar control or 10 grams of D-ribose for two days. This was followed by three additional days of supplementation. During these three days, both groups underwent 60 minutes per day of high-intensity exercise. After five days, significant improvement in exercise performance and lower perceived exercise exertion were observed in the D-ribose group. compared to the placebo arm of the study.16
- In a study of healthy, active individuals, supplying fatigued muscle cells with D-ribose quickly restored ATP levels to normal.¹⁷

Summary

By restoring the body's ability to produce energy, **D-ribose** leads to improved function for organs such as the heart and muscles.

D-ribose intake is especially valuable for **heart failure** patients and has been shown to produce meaningful improvements in cardiovascular function.

Because **high doses** of **D-ribose** are needed, most people find it more efficient to take **5 grams** or more each day in a neutral-tasting **powder** form. •

References

- Walston JD. Sarcopenia in older adults. Curr Opin Rheumatol. 2012 Nov;24(6): 623-7.
- 2. Manini TM. Energy expenditure and aging. Ageing Res Rev. 2010 Jan;9(1):1-11.
- Mahoney DE, Hiebert JB, Thimmesch A, et al. Understanding D-Ribose and Mitochondrial Function. Adv Biosci Clin Med. 2018;6(1):1-5.
- Dunn J, Grider MH. Physiology, Adenosine Triphosphate. StatPearls. Treasure Island (FL): StatPearls Publishing Copyright © 2022, StatPearls Publishing LLC.; 2022.
- Brand MD, Orr AL, Perevoshchikova IV, et al. The role of mitochondrial function and cellular bioenergetics in ageing and disease. Br J Dermatol. 2013 Jul;169 Suppl 2(0 2):1-8.
- Chistiakov DA, Sobenin IA, Revin VV, et al. Mitochondrial aging and age-related dysfunction of mitochondria. *Biomed Res Int.* 2014;2014:238463.
- Krueger KJ, Rahman FK, Shen Q, et al. Mitochondrial bioenergetics and D-ribose in HFpEF: a brief narrative review. *Ann Transl Med.* 2021 Oct;9(19):1504.

- Pauly DF, Pepine CJ. D-Ribose as a supplement for cardiac energy metabolism. J Cardiovasc Pharmacol Ther. 2000 Oct;5(4): 249-58.
- Bayram M, St Cyr JA, Abraham WT. D-ribose aids heart failure patients with preserved ejection fraction and diastolic dysfunction: a pilot study. *Ther Adv Cardiovasc Dis.* 2015 Jun;9(3):56-65.
- MacCarter D, Vijay N, Washam M, et al. D-ribose aids advanced ischemic heart failure patients. *Int J Cardiol.* 2009 Sep 11;137(1):79-80.
- Omran H, Illien S, MacCarter D, et al. D-Ribose improves diastolic function and quality of life in congestive heart failure patients: a prospective feasibility study. Eur J Heart Fail. 2003 Oct;5(5):615-9.
- Gerdle B, Ghafouri B, Lund E, et al. Evidence of Mitochondrial Dysfunction in Fibromyalgia: Deviating Muscle Energy Metabolism Detected Using Microdialysis and Magnetic Resonance. J Clin Med. 2020 Oct 31;9(11).
- 13. Myhill S, Booth NE, McLaren-Howard J.
 Chronic fatigue syndrome and mitochondrial dysfunction. *Int J Clin Exp Med*. 2009;2(1): 1-16
- Teitelbaum JE, Johnson C, St Cyr J. The use of D-ribose in chronic fatigue syndrome and fibromyalgia: a pilot study. J Altern Complement Med. 2006 Nov;12(9):857-62.
- Shecterle L, Kasubick R, St Cyr J. D-ribose benefits restless legs syndrome. J Altern Complement Med. 2008 Nov:14(9):1165-6.
- Seifert JG, Brumet A, St Cyr JA. The influence of D-ribose ingestion and fitness level on performance and recovery. J Int Soc Sports Nutr. 2017;14:47.
- Hellsten Y, Skadhauge L, Bangsbo J. Effect of ribose supplementation on resynthesis of adenine nucleotides after intense intermittent training in humans. Am J Physiol Regul Integr Comp Physiol. 2004 Jan;286(1):R182-8.
- Available at: https://www.nhs.uk/live-well/ sleep-and-tiredness/self-help-tips-to-fightfatigue/. Accessed February, 17, 2023.

What is ATP (adenosine triphosphate)?3.4

- ATP is a molecule carrying energy, found in every cell of the body; it is vital for energy production.
- It has a nitrogenous base (adenine), and a sugar (ribose), attached to three phosphate molecules.
- Cells need energy to perform cellular functions, such as growth, nerve impulse propagation, and muscle cell contraction.
- The energy is stored in phosphate bonds of ATP and is released when these bonds are broken by chemical processes.





Maintain Endothelial Arterial Plaque Stability with Protect



ARTERIAL PROTECT can help stabilize endothelial plaque and promote healthy blood flow throughout the body.*

Just one capsule a day provides the patented French Maritime pine bark extract used in clinical studies along with gotu kola.

Item #02004

30 vegetarian capsules

This product is available at fine health food stores everywhere.





* Int Angiol. 2014 Feb;33(1):20-6.





New Study Demonstrates Significant PAIN RELIEF

BY MICHAEL DOWNEY

Some nutrients can <u>reduce</u> existing inflammation, while others may help resolve inflammation.

Winding down the flow of inflammation at its source is vital to maintain healthy, functional tissues.¹

Compounds that actively promote the resolution of inflammation are known as **specialized pro-resolving** mediators or SPMs.²

A clinical study published in **2022** demonstrates that taking **SPM precursors** along <u>with</u> bioavailable **curcumin** deliver significant relief of pain and discomfort.³

In just 30 days, the combination significantly reduced:

- · Total pain,
- · Pain intensity, and
- Pain severity.

After 60 days, a remarkable **79%** of participants had an improvement in **total pain**.





New Human Study

Curcumin, a compound found in the **turmeric** plant, is well-established as a particularly powerful **anti-inflammatory** and an important nutrient to reduce inflammation.^{4,5}

Specialized pro-resolving mediators (SPMs) are compounds produced in the body that resolve inflammation, helping return inflamed tissues back to their healthy state.²

Scientists wondered whether <u>combining</u> **SPM precursors** with **curcumin** might more thoroughly reduce inflammation *and* thus have an impact on **pain**.

A **2022** open-label **clinical** pilot study recruited healthy male and female adults with mild to moderate pain.³

Every day for 60 days, 29 participants were asked to take:

- One softgel containing 500 mg of a marine oil enriched with three SPM precursors, and
- One capsule containing 500 mg of a highly bioavailable (absorbable) curcumin.

Participants completed **three** well-known questionnaires used to measure pain, quality of life, and overall health:

- Short-Form McGill Pain Questionnaire (SF-MPQ),
- Short-Form 36 Health Survey (SF-36), and
- Medical Symptoms Questionnaire (MSQ).

Compelling Results

The results of the study were published in *Translational Medicine Communications*, a peer-reviewed medical journal.

The **SF-MPQ** (Short-Form McGill Pain Questionnaire) responses showed significant *improvements* in all aspects of the questionnaire within **30 days**, especially in:³

- Total pain,
- Pain intensity, and
- Pain severity.

The **SF-36** (Short-Form 36 Health Survey) questionnaire showed significant *improvements* in:³

- Four aspects of physical health, especially pain and physical function, and
- Perceived health change.

The **MSQ** (Medical Symptoms Questionnaire) results showed:³

Significant reduction in joint/muscle pain.

An impressive 62% of participants had an improved total pain score at 30 days, and 79% of participants showed improvement in total pain at 60 days.

No adverse events were reported.3

This strongly suggests that taking **SPM precursors** with a bioavailable form of **curcumin** delivers significant relief of **pain** and discomfort associated with inflammation.

Difference Between Anti-Inflammatories and SPMs

Curcumin and SPM precursors target inflammation in completely different ways.

Curcumin and other anti-inflammatories work to reduce body inflammation levels.

This is helpful but not enough to completely restore health, since inadequate resolution can lead to chronic inflammation, excessive tissue damage, and dysregulation of tissue healing, and may also lead to fibrosis.6

Hence, inflammation needs to be resolved, to get tissues back to their healthy, functional state.

Resolution of inflammation is a complex, active process guided by specific signaling compounds produced in the body.^{7,8} Among these compounds are specialized pro-resolving mediators.

How SPMs Resolve Inflammation

SPM precursors are predominantly derived from EPA and DHA, the omega-3 fatty acids found in fish oil.

The **precursors** needed to produce SPMs in the body include:9

- **18-HEPE** (18-hydroxyeicosapentaenoic acid),
- 17-HDHA (17-hydroxydocosahexaenoic acid), and
- 14-HDHA (14-hydroxydocosahexaenoic acid).

The marine-blend softgels used in the 2022 study provided a total of 300 mcg of these three SPM precursors.3

These precursors are converted in the body into three different types of SPMs: resolvins, protectins, and maresins.3,10


These make up the bulk of the SPMs that target inflammation. They do so through three mechanisms⁻¹⁰⁻¹²

- Removing dead and dying cells, helping to clean up the aftermath of inflammatory cascades,
- Restoring inflammation balance by decreasing pro-inflammatory mediators and increasing antiinflammatory compounds, and
- Renewing damaged tissue by promoting cellular regeneration.

WHAT YOU TO KNOW

Targeting Inflammation to Stop Pain

- Inflammation is a major risk factor for age-related disease and degenerative disorders. It is also a source of pain.
- Curcumin is a well-known anti-inflammatory, working to reduce inflammation.
- Other compounds called specialized pro-resolving mediators (SPMs) resolve inflammation, shutting off inflammation and returning tissues to a healthy state.
- A new clinical trial shows that combining a highly bioavailable curcumin with marine oil enriched with **SPM precursors** significantly reduces subjective levels of **pain** and **discomfort**.



Evidence for Curcumin and SPM Benefits

Before researchers tested the combined effects of SPM precursors and curcumin, many studies had shown that each had benefits alone.

SPMS

Animal data showed promising results from the use of **SPMs**, including improvements in obesity-related osteoarthritis13 and in inflammation-induced neuropathic pain.14

A clinical trial found that oral intake of omega-3s increased SPM levels in the body by 229% and significantly lowered levels of the inflammatory marker C-reactive protein. 15

Another clinical study showed that taking marine oil enriched with a combination of SPM precursors (including 18-HEPE, 17-HDHA, and 14-HDHA) increased SPM levels and helped resolve inflammation.¹⁶

CURCUMIN

Curcumin is known for the curcuminoids and polyphenols found in the turmeric plant.¹⁷

A meta-analysis of eight human trials involving 606 patients found that curcuminoids significantly reduced pain severity from a variety of causes, including arthritis and muscle soreness.18

Another review paper concluded that curcumin was safe and has significant anti-inflammatory activity.5

Combining SPM precursors with a powerful anti-inflammatory like curcumin targets inflammation in multiple ways and results in clear pain reduction.

Summary

Curcumin is a powerful anti-inflammatory that reduces existing inflammation.

Specialized pro-resolving mediators (SPMs) help resolve inflammation, guiding tissues back to their healthy state.

A new **human** study shows that *combining* marine oil enriched with SPM precursors with a highly bioavail-





Building a Better Curcumin

Due to poor bioavailability, a large portion of curcumin taken orally never gets into the bloodstream or reaches tissues.

In a major advance, scientists combined curcumin with a fiber called galactomannan that protects curcumin in the gut.

Clinical research demonstrates that taking the curcumin-galactomannan combination results in blood levels of free curcuminoids that are over 45-times greater than in those who take pure curcumin alone.19

References

- 1. Livshits G, Kalinkovich A. Inflammaging as a common ground for the development and maintenance of sarcopenia, obesity, cardiomyopathy and dysbiosis. Ageing Res Rev. 2019 Dec;56:100980.
- 2. Kraft JD, Blomgran R, Lundgaard I, et al. Specialized Pro-Resolving Mediators and the Lymphatic System. Int J Mol Sci. 2021 Mar
- 3. Jaja-Chimedza A, Hirsh S, Bruce D, et al. The effects of an SPMenriched marine oil and bioavailable curcumin combination on inflammation-associated discomfort in generally healthy individuals: a virtual open-label pilot study. Translational Medicine Communications. 2022 2022/11/14;7(1):25.
- 4. Chandran B, Goel A. A randomized, pilot study to assess the efficacy and safety of curcumin in patients with active rheumatoid arthritis. Phytother Res. 2012 Nov;26(11):1719-25.
- 5. Hewlings SJ, Kalman DS. Curcumin: A Review of Its Effects on Human Health. Foods. 2017 Oct 22;6(10).
- Sugimoto MA, Sousa LP, Pinho V, et al. Resolution of Inflammation: What Controls Its Onset? Front Immunol. 2016;7:160.
- 7. Krishnamoorthy N, Abdulnour RE, Walker KH, et al. Specialized Proresolving Mediators in Innate and Adaptive Immune Responses in Airway Diseases. Physiol Rev. 2018 Jul 1;98(3):1335-70.
- 8. Serhan CN, Chiang N, Dalli J. New pro-resolving n-3 mediators bridge resolution of infectious inflammation to tissue regeneration. Mol Aspects Med. 2018 Dec;64:1-17.
- 9. Norling LV, Ly L, Dalli J. Resolving inflammation by using nutrition therapy: roles for specialized proresolving mediators. Curr Opin Clin Nutr Metab Care. 2017 Mar;20(2):145-52.
- 10. Serhan CN. Treating inflammation and infection in the 21st century: new hints from decoding resolution mediators and mechanisms. FASEB J. 2017 Apr;31(4):1273-88.
- 11. Serhan CN. Pro-resolving lipid mediators are leads for resolution physiology. Nature. 2014 Jun 5;510(7503):92-101.
- 12. Serhan CN. Discovery of specialized pro-resolving mediators marks the dawn of resolution physiology and pharmacology. Mol Aspects Med. 2017 Dec;58:1-11.
- 13. Sun AR, Wu X, Liu B, et al. Pro-resolving lipid mediator ameliorates obesity induced osteoarthritis by regulating synovial macrophage polarisation. Sci Rep. 2019 Jan 23;9(1):426.
- 14. Serhan CN, Dalli J, Karamnov S, et al. Macrophage proresolving mediator maresin 1 stimulates tissue regeneration and controls pain. FASEB J. 2012 Apr;26(4):1755-65.
- 15. Norris PC, Skulas-Ray AC, Riley I, et al. Identification of specialized pro-resolving mediator clusters from healthy adults after intravenous low-dose endotoxin and omega-3 supplementation: a methodological validation. Sci Rep. 2018 Dec 21;8(1):18050.
- 16. Souza PR, Margues RM, Gomez EA, et al. Enriched Marine Oil Supplements Increase Peripheral Blood Specialized Pro-Resolving Mediators Concentrations and Reprogram Host Immune Responses: A Randomized Double-Blind Placebo-Controlled Study. Circ Res. 2020 Jan 3;126(1):75-90.
- 17. Rao PS, Ramanjaneyulu YS, Prisk VR, et al. A Combination of Tamarindus indica seeds and Curcuma longa Rhizome Extracts Improves Knee Joint Function and Alleviates Pain in Non-Arthritic Adults Following Physical Activity. Int J Med Sci. 2019;16(6):845-53.
- 18. Sahebkar A, Henrotin Y. Analgesic Efficacy and Safety of Curcuminoids in Clinical Practice: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Pain Med. 2016 Jun;17(6):1192-
- 19. Kumar D, Jacob D, Subash PS, et al. Enhanced bioavailability and relative distribution of free (unconjugated) curcuminoids following the oral administration of a food-grade formulation with fenugreek dietary fibre: a randomised double-blind crossover study. J Funct Foods. 2016;22:578-87.



The nice-tasting, citrus-vanilla flavor enables convenient "drop" dosing of *Fast-Acting Liquid Melatonin* each night or when needed.

Life Extension also offers a full range of melatonin in solid forms and a variety of dosages.



3 mg • Net Wt. 2 fl. oz (59 ml)

For occasional sleeplessness.





Promote Healthy Muscle Strength at any Age

STAY STRONG & YOUNG

Muscle Strength & Restore Formula provides ingredients that can enhance muscle strength while helping inhibit age-related muscle decline. It contains:

- HMB (Beta-hydroxy beta-methylbutyrate): increases and preserves muscle mass in adults of all ages.
- Vitamin D3 25 mcg (1,000 IU): supports muscle strength and performance.

Mix one scoop with approximately **8 oz**. of cold water or other beverage, preferably a protein shake, and drink once daily or as recommended by a health practitioner.




Item #02221 Net Wt. 94.2 g (3.32 oz)



"Taking this product along with my daily exercise routine has proven to be very beneficial in building and maintaining my muscles."

Kip

VERIFIED CUSTOMER REVIEW





A clinically studied combo of horsetail, lindera and caper extracts can help maintain bladder comfort and normal urinary frequency, day and night.


Item #02513

60 vegetarian capsules









People tend to live longer in areas where lithium is abundant in the drinking water.*

Lithium is a low-cost mineral that functions in several ways to support cognition and overall brain health.

Protect healthy cognition with lithium—it's like a bodyguard for your brain!

This product is available at fine health food stores everywhere.

Item #02403

1000 mcg • 100 vegetarian capsules

Each bottle lasts 100 days.

*European Journal of Nutrition. 2011;50(5):387-389.







When Excess Cortisol Makes You Sick

Stress is often caused by events—environmental, emotional, or physical.⁶

One of the normal ways for the body to respond to stress and **anxiety** is by releasing the hormone **cortisol** from the adrenal glands.⁵

Cortisol is one of the main hormones responsible for keeping the stress response activated. This is why cortisol is thought of as a *chronic stress* hormone.⁷

In people with **anxiety** disorders, cortisol levels may be higher than in the rest of the population.

Chronic stress that results in improper cortisol balance can lead to a wide range of serious health problems.^{8,9}

In a study of hip-fracture patients, cortisol elevation was associated with low function of natural killer cells in the **immune system**. ¹⁰ Elevated cortisol has also been associated with susceptibility to infections. ¹¹ Dysregulation of cortisol has also been associated with poor inflammatory response ^{12,13} and with *increased* rates of major cardiovascular, ¹⁴ and metabolic diseases. ¹² They even suffer from higher rates of overall **mortality**. ^{11,14}

Plant-Based Solutions

People with anxiety disorders are routinely prescribed antidepressants or other medications. In 2020 alone, prescriptions for **anti-anxiety medications** jumped by **34**%.¹⁵ While medications may help, not all patients tolerate them, they don't work for everyone, and some can even be addictive.¹⁶

Researchers have identified specific **plant extracts** that have been **shown clinically** to safely reduce elevated cortisol *and* feelings of anxiety and stress.

Lychee-Green Tea Blend

Lychee is a fruit commonly consumed throughout Eastern Asia, ^{17,18} as a fruit and for medicinal purposes. ¹⁹


Lychee fruit is rich in **polyphenols**, ²⁰ compounds recognized for their role in biological activities, most notably for the ability to reduce inflammation, fight oxidative stress and prevent cell damage. ²¹⁻²³

Most lychee products sold today contain longchain polyphenols, which are not easily absorbed in the intestinal tract. When combined with green tea, the lychee-green tea blend was shown to provide a low molecular size extract that is far more bioavailable than ordinary lychee extract alone. The polyphenol content measured in the blood after using this blend was *three times higher* than the amount after using **lychee** extract alone.²⁴

In one controlled study, this **lychee-green tea** blend significantly <u>reduced</u> **cortisol** levels compared to baseline. Healthy young men were assigned to take either **100 mg** of the **lychee-green tea** blend or a **placebo** daily. After four weeks, those who received the extract blend had significant <u>reductions</u> in blood **cortisol** levels, as well as in the inflammatory cytokines **IL-1beta** and **IL-6**.²⁵

In a human trial, **100 mg** of **lychee-green tea** blend was given twice daily to 10 healthy individuals, for 10 days, followed by exercise under low oxygen conditions, to induce stress. They found that the rate at which cortisol and the inflammatory markers increased was significantly slower among subjects given the extracts compared to placebo.²⁶

By reducing cortisol and inflammation, this blend may help prevent much of the damage stress and anxiety can do.





Magnolia and Phellodendron Bark

Two tree bark extracts have also been shown to reduce cortisol levels.

For centuries, the bark of the *Magnolia officinalis* tree (it grows in high altitudes in Eastern Asia) has been used to combat a variety of conditions,27 including anxiety, depression, and stress.28,29

An extract from the bark of another tree, Phellodendron amurense, has been used in traditional Chinese medicine and has been shown to reduce biological markers of stress in animals.30

To test whether a combination of Magnolia and Phellodendron extracts would reduce cortisol levels. researchers gave either 250 mg of a bark extract mixture or a placebo two times daily to people with moderate to high stress levels. After four weeks, only those taking the bark extracts had significantly lower cortisol levels and significant reductions in stress, anger, depression, and fatigue.31

Plant Extracts Combat Chronic Stress

- One way our body responds to anxiety and stress is by producing the hormone cortisol.
- Chronically elevated cortisol levels weaken the immune system and increase risk of chronic disease and death.
- Lychee-green tea blend has been clinically shown to significantly reduce cortisol and markers of inflammation.
- A mix of extracts of two tree barks. Magnolia officinalis and Phellodendron amurense, safely and effectively reduced cortisol levels in clinical trials. It also reduced feelings of stress, anger, depression, and fatigue.
- Combining a lychee-green tea blend with **Magnolia-Phellodendron** bark extracts may optimize their power to ease anxiety, reduce cortisol levels, and prevent the long-term damage caused by stress.

In two other studies, researchers gave participants either a placebo or **250 mg** of **magnolia** and **phellodendron** bark extracts three times daily.

- Overweight premenopausal women aged 20-50 who reported consistently high anxiety levels, reported significantly decreased anxiety symptoms after six weeks.³⁰
- In a similar group of women with aboveaverage anxiety associated with eating, prevention of weight gain was observed after six weeks in the treatment group as compared to placebo recipients, who gained weight during the trial.³²

The anti-anxiety benefits of **Magnolia bark** extract extend beyond cortisol. In cell and animal studies, compounds found in *Magnolia officinalis* have been shown to interact with receptors in the brain in ways that would be expected to benefit **mood** and psychological well-being.³³

For example, **serotonin**—sometimes nicknamed the "happy hormone"—is key in regulating stress, depression, and mood. *Magnolia* may help to *increase* **serotonin** levels as seen in animal models and lab studies.^{34,35}

Combining these **bark extracts** with the **lycheegreen tea** blend may maximize their cortisol-lowering effects, helping to reduce the harm done by anxiety and stress.

Summary

Chronic anxiety undermines physical, mental, and emotional health. The excessive **cortisol** secretion that accompanies unremitting stress can weaken immunity and increase risk of infections, chronic disease, and death.

Lychee-green tea blend is highly absorbable and has been shown in two clinical studies to lower the stress hormone cortisol.

Extracts of *Magnolia officinalis* and *Phellodendron amurense* bark have shown the ability to reduce cortisol levels and anxiety, helping to protect against the damage chronic stress can do.

A blend of these compounds offers one approach to reduce excess cortisol levels, which may counteract some of the harmful effects inflicted by chronic stress. •

What is Cortisol?

- Cortisol is a hormone produced by the adrenal glands located at the top of the kidneys.⁵
- It helps regulate numerous bodily functions, including the stress response, metabolism, immune function, and inflammatory response.⁵
- It peaks in the early morning, then gradually declines to its lowest level around midnight.³⁶
- Chronic stress disrupts this daily rhythm.³⁶
- Many studies show the average cortisol levels gradually increase in older adults as they age.³⁷
- Chronically elevated cortisol levels are associated with higher blood glucose, high blood pressure, weakened immunity, muscle loss, and low bone mass^{11,14} that can impact quality of life.

References

- Available at: https://adaa.org/understanding-anxiety/facts-statistics. Accessed January, 13, 2023.
- 2. Organization WH. Depression and other common mental disorders: global health estimates. World Health Organization;2017.
- Available at: https://www.uspreventiveservicestaskforce.org/uspstf/ draft-recommendation/anxiety-adults-screening. Accessed January, 13.
- Available at: https://www.psychiatry.org/patients-families/anxietydisorders/what-are-anxiety-disorders. Accessed January, 13, 2023.
- Thau L, Gandhi J, Sharma S. Physiology, Cortisol. StatPearls. Treasure Island (FL): StatPearls Publishing Copyright © 2022, StatPearls Publishing LLC.; 2022.
- Salleh MR. Life event, stress and illness. Malays J Med Sci. 2008 Oct;15(4):9-18.
- Available at: https://www.health.harvard.edu/staying-healthy/understanding-the-stress-response. Accessed January, 18, 2023.
- Vreeburg SA, Zitman FG, van Pelt J, et al. Salivary cortisol levels in persons with and without different anxiety disorders. *Psychosom Med*. 2010 May:72(4):340-7.
- Lenze EJ, Mantella RC, Shi P, et al. Elevated cortisol in older adults with generalized anxiety disorder is reduced by treatment: a placebo-controlled evaluation of escitalopram. *Am J Geriatr Psychiatry*. 2011 May;19(5):482-90.
- Duggal NA, Upton J, Phillips AC, et al. NK cell immunesenescence is increased by psychological but not physical stress in older adults associated with raised cortisol and reduced perforin expression. *Age (Dordr)*. 2015 Feb;37(1):9748.
- Schoorlemmer RM, Peeters GM, van Schoor NM, et al. Relationships between cortisol level, mortality and chronic diseases in older persons. Clin Endocrinol (Oxf). 2009 Dec;71(6):779-86.
- 12. Cohen S, Janicki-Deverts D, Doyle WJ, et al. Chronic stress, gluco-corticoid receptor resistance, inflammation, and disease risk. *Proc*

- Natl Acad Sci U S A. 2012 Apr 17;109(16):5995-9.
- 13. Hannibal KE, Bishop MD. Chronic stress, cortisol dysfunction, and pain: a psychoneuroendocrine rationale for stress management in pain rehabilitation. Phys Ther. 2014 Dec:94(12):1816-25.
- 14. Vogelzangs N, Beekman AT, Milaneschi Y, et al. Urinary cortisol and six-vear risk of all-cause and cardiovascular mortality. J Clin Endocrinol Metab. 2010 Nov;95(11):4959-64.
- 15. Available at: https://www.marketwatch.com/story/anti-anxietymedication-prescriptions-have-spiked-34-during-the-coronaviruspandemic-2020-04-16. Accessed January, 13, 2023.
- 16. Available at: https://www.nhs.uk/mental-health/conditions/generalised-anxiety-disorder/treatment/. Accessed January, 18, 2023.
- 17. Thirunavukkarasu M, Zhan L, Wakame K, et al. Safety of oligonol, a highly bioavailable lychee-derived polyphenolic antioxidant, on liver, kidney and heart function in rats, Toxicol Mech Methods, 2012 Sep;22(7):555-9.
- 18. Emanuele S, Lauricella M, Calvaruso G, et al. Litchi chinensis as a Functional Food and a Source of Antitumor Compounds: An Overview and a Description of Biochemical Pathways. Nutrients. 2017 Sep 8;9(9).
- 19. Zhao L, Wang K, Wang K, et al. Nutrient components, health benefits, and safety of litchi (Litchi chinensis Sonn.): A review. Compr Rev Food Sci Food Saf. 2020 Jul;19(4):2139-63.
- 20. Yamanishi R. Yoshigai E. Okuvama T. et al. The anti-inflammatory effects of flavanol-rich lychee fruit extract in rat hepatocytes. PLoS One. 2014;9(4):e93818.
- 21. Lee N, Shin MS, Kang Y, et al. Oligonol, a lychee fruit-derived lowmolecular form of polyphenol mixture, suppresses inflammatory cytokine production from human monocytes. Hum Immunol. 2016 Jun;77(6):512-5.
- 22. Hussain T, Tan B, Yin Y, et al. Oxidative Stress and Inflammation: What Polyphenols Can Do for Us? Oxid Med Cell Longev. 2016:2016:7432797.
- 23. Yahfoufi N, Alsadi N, Jambi M, et al. The Immunomodulatory and Anti-Inflammatory Role of Polyphenols. Nutrients. 2018 Nov 2:10(11).
- 24. Kitadate K AK, Homma K. Effect of lychee fruit extract (Oligonol) on peripheral circulation, a pilot study. Nat Med J.6(7).
- 25. Lee JB, Shin YO, Min YK, et al. The effect of Oligonol intake on cortisol and related cytokines in healthy young men. Nutr Res Pract. 2010 Jun;4(3):203-7.
- 26. Nagasawa J SK. Uchimaru J. Oxidative stress in hypobaric and normobaric hypoxia and antioxidant effect of Oligonol. Japan J Mountain Med. 2010;30:118-24.
- 27. Niu L, Hou Y, Jiang M, et al. The rich pharmacological activities of Magnolia officinalis and secondary effects based on significant intestinal contributions. J Ethnopharmacol. 2021 Dec 5;281:114524.
- 28. Rajgopal A, Missler SR, Scholten JD. Magnolia officinalis (Hou Po) bark extract stimulates the Nrf2-pathway in hepatocytes and protects against oxidative stress. J Ethnopharmacol. 2016 Dec 4:193:657-62.
- 29. Poivre M, Duez P. Biological activity and toxicity of the Chinese herb Magnolia officinalis Rehder & E. Wilson (Houpo) and its constituents. J Zhejiang Univ Sci B. 2017 Mar.;18(3):194-214.
- 30. Kalman DS, Feldman S, Feldman R, et al. Effect of a proprietary Magnolia and Phellodendron extract on stress levels in healthy women: a pilot, double-blind, placebo-controlled clinical trial. Nutr J. 2008 Apr 21;7:11.
- 31. Talbott SM, Talbott JA, Pugh M. Effect of Magnolia officinalis and Phellodendron amurense (Relora®) on cortisol and psychological mood state in moderately stressed subjects. J Int Soc Sports Nutr. 2013 Aug 7;10(1):37.
- 32. Garrison R, Chambliss WG. Effect of a proprietary Magnolia and Phellodendron extract on weight management: a pilot, double-blind, placebo-controlled clinical trial. Altern Ther Health Med. 2006 Jan-Feb;12(1):50-4.



How to Measure Your Stress and Cortisol Levels

Sometimes stress is so constant that we learn to live with it.

A cortisol blood test allows you to find out whether your levels are elevated and by how much. If they're high, that's often a sign of ongoing stress.

Lifestyle changes like meditation, exercise, and eating a healthy diet can bring this level down. Regular use of safe plant compounds may lower elevated cortisol and can prevent the immune-weakening effects of stress.

Periodic testing can give you a picture of your stress, and your progress, over time.

- 33. Zhu S, Liu F, Zhang R, et al. Neuroprotective Potency of Neolignans in Magnolia officinalis Cortex Against Brain Disorders. Front Pharmacol. 2022;13:857449.
- 34. Bai Y, Song L, Dai G, et al. Antidepressant effects of magnolol in a mouse model of depression induced by chronic corticosterone injection. Steroids. 2018 Jul;135:73-8.
- 35. Koetter U, Barrett M, Lacher S, et al. Interactions of Magnolia and Ziziphus extracts with selected central nervous system receptors. J Ethnopharmacol. 2009 Jul 30;124(3):421-5.
- 36. Debono M, Ghobadi C, Rostami-Hodjegan A, et al. Modifiedrelease hydrocortisone to provide circadian cortisol profiles. J Clin Endocrinol Metab. 2009 May;94(5):1548-54.
- 37. Yiallouris A, Tsioutis C, Agapidaki E, et al. Adrenal Aging and Its Implications on Stress Responsiveness in Humans. Front Endocrinol (Lausanne). 2019;10:54.



Phages target unwanted intestinal bacteria, allowing beneficial strains to flourish.

FLORASSIST® GI provides a 7-strain blend of **probiotics** in a **dual encapsulation** formula to deliver beneficial bacteria and **phages** where you need them the most.











Item #02125

30 liquid vegetarian capsules

Note: Color of inner capsule may vary but does not affect ingredients.

NEW PRODUCTS

Take a **Break** from Bathroom Breaks.

As you get older, you may need a little help with bladder and urinary health. Our Women's Bladder Support puts you in control! A combination of horsetail, lindera, and threeleaf caper extracts helps support bladder health and maintain normal urinary frequency day or night—with women reporting significant relief in clinical trials









Success

Has Never Tasted

So Sweet

You can snack and still stay on track with your wellness goals. Our delicious Wellness Bars - Chocolate Brownie

flavor offer a balanced and tasty way to fuel your body. Made with 100% cacao, each convenient, individually wrapped snack bar packs in 12 g of protein and 8 g of fiberwith only 1 g of sugar. For your convenience, we now offer our Wellness Bars in packages of six individually wrapped bars.



Item #02186 6 x 1.52 oz (43 g) bars Net Wt. 9.12 oz (258 g)







Move over Metamucil®, There's a New Fiber in Town

Sometimes it's difficult to get the fiber you need in your diet. Now you can do it with ease!

Easy Fiber is a lightly orange-flavored powdered mix that supports regularity, satiety, and heart health with a lower daily dose than traditional fiber supplements.

And unlike Metamucil®, Easy Fiber is sugar-free and contains no artificial flavors, colors, or sweeteners,*

*Compared to Metamucil® Sugar-Free 4-in-1 Psyllium Fiber Supplement

This supplement should be taken in conjunction with a healthy diet and regular exercise program. Individual results are not guaranteed, and results may vary.











Easy Fiber




The Science of a Healthier Life®

PO BOX 407198 FORT LAUDERDALE, FLORIDA 33340-7198

IN THIS EDITION OF LIFE EXTENSION MAGAZINE®













16 HOW CAPSAICIN BURNS BODY FAT

The red chili compound called capsaicin can help increase caloric expenditure—and burn fat.

32 SOLUTIONS: NUTRIENTS FOR PREVENTING FRAILTY

Change up this copy: Two nutrients have been shown to combat **sarcopenia** and help prevent frailty by rebuilding lost muscle mass in aging adults.

48 IMPROVE PERIPHERAL NERVE FUNCTION

Clinical studies show that **lipoic acid** improves **nerve function**, and reduces pain and numbness in **peripheral neuropathy**.

56 HOW LACTOFERRIN HELPS REPAIR THE BODY

Lactoferrin, with its well-known immune-boosting properties, also aids in **cell regenerative** processes.

66 NITRIC OXIDE IMPROVES BLOOD FLOW

A form of **L-arginine** has been shown to *boost* endothelial **nitric oxide** production for improved cardiovascular health.

80 RESOLVE PERSISTENT PAIN

A new study shows that marine oil-derived **SPM precursors** combined with bioavailable **curcumin** *resolve* and reduce inflammation-induced discomforts.